

01. 0580\_m24\_ms\_42 Q: 2

Question	Answer	Marks	Partial Marks
(a)	$y + \text{angle } BCD = 180$ oe AND angles on a straight line  AND $x + \text{angle } BCD = 180$ oe  AND opposite angles of a cyclic quadrilateral are supplementary OR angles in opposite segments are supplementary  leading to $x = y$ with no errors	<b>B2</b>	<b>B1</b> for angles on a straight line  OR  opposite angles of a cyclic quadrilateral are supplementary OR angles in opposite segments are supplementary

Question	Answer	Marks	Partial Marks
(b)	Allow any two statements from:  $CXD$ is common angle or $\text{angle } AXB = \text{angle } CXD$  $x = y$ or $\text{angle } BAX = \text{angle } DCX$  $\text{angle } ABX = \text{angle } CDX$	<b>M1</b>	
	States all three equal pairs of angles OR 2/all angles equal so triangles similar	<b>A1</b>	
(c)(i)	6 nfw	<b>3</b>	<b>B2</b> for $BX = 18$ nfw or <b>M2</b> for $\frac{24}{12} = \frac{BC+12}{9}$ oe or <b>M1</b> for $\frac{24}{12} = \frac{BX}{9}$ oe If 0 scored, <b>SC1</b> for answer 18
(c)(ii)	4	<b>1</b>	

Question	Answer	Marks	Partial Marks
(a)	142 142	2	<b>B1</b> for each <b>FT</b> angle $b = \text{their angle } a$
(b)	150	2	<b>M1</b> for $\frac{360}{12}$ oe isw or $180 \times (12 - 2)$ oe isw

Question	Answer	Marks	Partial Marks
(c)	56	<b>B1</b>	
	34	<b>B2</b>	<b>M1</b> for angle at centre = $2 \times \text{their } 56$ oe soi or for angle $OMB = 90$ oe soi
(d)	51	2	<b>B1</b> for opp angle = 129 soi

03. 0580\_s23\_ms\_42 Q: 1

Question	Answer	Marks	Partial Marks
(a)	111	3	<b>M2</b> for $180 - \frac{180 - 42}{2}$ oe or $42 + \frac{180 - 42}{2}$ oe or <b>M1</b> for $\frac{180 - 42}{2}$ oe
(b)	150	3	<b>M1</b> for $k \div (3 + 4 + 5)$ [ $\times p$ ] where $p = 1, 3, 4$ or $5$ or $\frac{5}{12}$ oe <b>B1</b> for 360 used
(c)	$\frac{3}{5}$ cao nfw	4	<b>B3</b> for $\frac{72}{120}$ or <b>B2</b> for $[d = ] 72$ or $[h = ] 120$ or <b>M1</b> for $360 \div 5$ oe isw or $180 - (360 \div 6)$ isw or for $(6 - 2) \times 180 [\div 6]$
(d)	$x + 2x - 5 + x + 20 + 3x - 40 = 360$	<b>M1</b>	Accept equivalent equation e.g. $7x - 25 = 360$
	$7x = 360 + 5 - 20 + 40$ or better	<b>M1</b>	<b>FT</b> <i>their</i> equation, accept e.g. $7x = 385$
	$x = 55$	<b>B1</b>	
	55 and 125 or 105 and 75	<b>B1dep</b>	<b>Dep on M1M1B1</b> Accept $55 + 3 \times 55 - 40 = 180$ or $2 \times 55 - 5 + 55 + 20 = 180$ If B0 scored, <b>SC1</b> for 55, 75, 105 and 125
	Opposite angles sum to 180 oe [so PQRS is a cyclic quadrilateral ]	<b>A1</b>	<b>Dep on M1M1B1B1</b>
(e)	48.7 or 48.69 to 48.70...	3	<b>M2</b> for $\frac{360 - 50}{360} \times 2 \times \pi \times 9$ oe or <b>M1</b> for $\frac{50}{360} \times 2 \times \pi \times 9$ oe

Question	Answer	Marks	Partial Marks
(a)(i)	$\frac{(x+3)(2x+5)}{2} = 60$	<b>M1</b>	Accept $(x+3)(2x+5) = 2 \times 60$ or 120 Accept e.g. $(x+3)(x+2.5) = 60$ without division by 2 shown for M1 (but not A1)
	$2x^2 + 6x + 5x + 15$ seen	<b>B1</b>	Accept $2x^2 + 11x + 15$ seen
	$2x^2 + 11x - 105 = 0$	<b>A1</b>	Correct completion after M1B1 with the fraction seen removed with no errors or omissions seen
(a)(ii)	$(2x+21)(x-5) [= 0]$	<b>M2</b>	<b>M1</b> for partial factors $2x(x-5) + 21(x-5) [= 0]$ or $x(2x+21) - 5(2x+21) [= 0]$  OR  $(2x+a)(x+b) [= 0]$ where $ab = -105$ or $2b + a = 11$
	-10.5 and 5	<b>B1</b>	

Question	Answer	Marks	Partial Marks
(a)(iii)	61.9 or 61.92 to 61.93	<b>3</b>	<b>M2</b> for $\tan = \frac{2 \times \text{their } 5 + 5}{\text{their } 5 + 3}$ oe  or <b>B1FT</b> for $2 \times \text{their } 5 + 5$ and $\text{their } 5 + 3$
(b)(i)	28.1 or 28.07 to 28.08	<b>1</b>	<b>FT</b> $\text{their } 90 - \text{their } (a)(iii)$ unless $\text{their } (a)(iii) < 45$ , in which case FT $\text{their } (a)(iii)$
(b)(ii)	10	<b>3</b>	<b>M2</b> for $(\text{their } 5 + 3) \times \sqrt{\frac{93.75}{60}}$ oe or <b>M1</b> for $\sqrt{\frac{93.75}{60}}$ or $\sqrt{\frac{60}{93.75}}$ oe seen or $\left(\frac{\text{their } 5 + 3}{x}\right)^2 = \frac{60}{93.75}$ oe

05. 0580\_s23\_ms\_43 Q: 3

Question	Answer	Marks	Partial Marks
(a)(i)	118	1	
(a)(ii)	$X$ is 8.3 cm from $B$	2	<b>M1</b> for $(332 \div 200) \times 5$ oe
(a)(iii)	1 : 4000	2	<b>M1</b> for $200 \div 5$ or $200 \times 100$ , both soi
(b)	1.13 or 1.128 to 1.129	5	<b>M4</b> for $4.5 \times \sqrt[3]{\frac{0.385 \times 8000}{195200}}$ oe or $\sqrt[3]{\frac{4.5^3 \times 0.385 \times 8000}{195200}}$ oe or <b>M3</b> for $\sqrt[3]{\frac{0.385}{\text{their}24.4}}$ or $\sqrt[3]{\frac{\text{their}3080}{195200}}$ or $\frac{0.385}{\text{their}24.4} = \frac{l^3}{4.5^3}$ oe or <b>M2</b> for $\frac{\text{their}24.4}{0.385}$ or $\frac{0.385}{\text{their}24.4}$ oe or <b>B2</b> for 24.4 or 3080 seen or <b>M1</b> for $195200 \div 8000$ or for $0.385 \times 8000$

Question	Answer	Marks	Partial Marks
(a)	246	3	<b>B2</b> for $BCS(\text{outh}) = 66$ or $BCA = 48$ <b>and</b> $ACN(\text{orth}) = 66$ or $BCW(\text{est}) = 24$ or $ACS(\text{outh}) = 114$ or <b>B1</b> for $ABC = 66$ or $BAC = 66$ or $BCA = 48$ or $ACN(\text{orth}) = 66$
(b)(i)	58	1	
(b)(ii)	106	1	
(b)(iii)	47	2	<b>B1</b> for $PRQ = 27$ or <b>B1FT</b> for $SPR$ , either = 48 or = $106 - \text{their (b)(i)}$ or <b>B1FT</b> for $RPQ = \text{their (b)(i)} - 11$
(c)	Radius perpendicular to tangent	1	
	Tangents to circle from a/same point oe	1	
	RHS	1	
	68 angles on a [straight] line add up/sum to 180 oe	1	
	56 [base angles of] isosceles triangle	1	
	$OBC = BOT$ Alternate angles	1	Angles and reason required and dependent on $OBC$ and $BOT$ correct

07. 0580\_w23\_ms\_41 Q: 5

Question	Answer	Marks	Partial Marks
(a)	27.3 or 27.32 to 27.33	5	<p><b>M4</b> for <math>\tan[\angle ACD] = \frac{83.2}{\frac{83.2}{\tan 38} + 54.5}</math> oe</p> <p>or</p> <p><b>M3</b> for <math>[AC =] \frac{83.2}{\tan 38} + 54.5</math> oe</p> <p>or for <math>[CD =]</math></p> $\sqrt{54.5^2 + \left(\frac{83.2}{\sin 38}\right)^2 - 2(54.5)\left(\frac{83.2}{\sin 38}\right)\cos(180 - 38)}$ <p>oe</p> <p>or</p> <p><b>M2</b> for <math>[AB =] \frac{83.2}{\tan 38}</math> oe or for <math>[BD =] \frac{83.2}{\sin 38}</math> oe</p> <p>or <b>M1</b> for <math>\tan 38 = \frac{83.2}{AB}</math> oe or <math>\sin 38 = \frac{83.2}{BD}</math> oe</p>
(b)	Centre marked at midpoint of <i>FG</i> . and <b>Angle</b> in a semi-circle is <b>90</b>	B2	<b>B1</b> for marking the centre at mid-point of FG

Question	Answer	Marks	Partial Marks
(c)	10.8 or 10.81 to 10.82	7	<p><b>B2</b> for 72</p> <p>or <b>M1</b> for <math>\frac{180}{4+5+6} [\times 6]</math></p> <p>and, for triangle PQR</p> <p><b>B4</b> for <math>[\text{angle } R =] 82.8</math> or 82.81 to 82.83</p> <p>or <b>B3</b> for <math>[\cos R =] \frac{5}{40}</math> oe or better</p> <p>or <b>M2</b> for <math>\frac{4^2 + 5^2 - 6^2}{2 \times 4 \times 5}</math></p> <p>or <b>M1</b> for <math>6^2 = 4^2 + 5^2 - 2 \times 4 \times 5 \times \cos R</math></p> <p>After <b>0</b> scored for triangle PQR, <b>SC1</b> for <math>[P =] 55.8</math> or 55.77 to 55.78 or <math>[Q =] 41.4</math> or 41.40 to 41.41</p>

08. 0580\_w23\_ms\_42 Q: 10

Question	Answer	Marks	Partial Marks
(a)	$[DEF], BCD$ $ADF, ADB$	2	<b>B1</b> for each pair
(b)	$OQ$ $OQT$  Tangent perpendicular to radius  RHS  equal	5	<b>B1</b> for each

09. 0580\_w23\_ms\_43 Q: 4

Question	Answer	Marks	Partial Marks
(a)	144	2	<b>M1</b> for $180 - \frac{360}{10}$ or $\frac{180(10-2)}{10}$ oe
(b)	$w = 20$ $x = 20$ $y = 60$ $z = 45$	5	<b>B1</b> for $w$ <b>B1FT</b> for $x = \text{their } w$  <b>B2FT</b> for $y = 80 - \text{their } w$  or <b>B1</b> for angle $BDC = 20$ FT $\text{their } w$ or angle $ADE = 55$ or angle $CAD = 25$  <b>B1FT</b> for $z = 25 + \text{their } w$ or $105 - \text{their } y$

AceIGCSE  
Paper Perfection, Crafted With Passion



10. 0580\_m22\_ms\_42 Q: 6

Question	Answer	Marks	Partial Marks
(d)	Two pairs of equal angles identified with fully correct reasons	<b>M3</b>	<b>M2</b> for one pair of equal angles identified with fully correct reasons $KMG = 90$ angle in semicircle and $OGH = 90$ angle between tangent and radius OR $KMG = OGH$ alternate segment OR $GOH = MGK$ alternate angles OR Angle $FGM =$ angle $GHO$ corresponding <b>and</b> angle $FGM = GKM$ alternate segment <b>and</b> angle $H =$ angle $K$ <b>or M1</b> for $KMG = 90$ , angle in semicircle <b>or</b> $OGH = 90$ , angle between tangent and radius
	Two or three pairs of angles equal [so similar] oe	<b>A1</b>	Dep on M3 with no incorrect work seen

Question	Answer	Marks	Partial Marks
(d)	Two pairs of equal angles identified with fully correct reasons	<b>M3</b>	<b>M2</b> for one pair of equal angles identified with fully correct reasons $KMG = 90$ angle in semicircle and $OGH = 90$ angle between tangent and radius OR $KMG = OGH$ alternate segment OR $GOH = MGK$ alternate angles OR Angle $FGM =$ angle $GHO$ corresponding <b>and</b> angle $FGM = GKM$ alternate segment <b>and</b> angle $H =$ angle $K$ <b>or M1</b> for $KMG = 90$ , angle in semicircle <b>or</b> $OGH = 90$ , angle between tangent and radius
	Two or three pairs of angles equal [so similar] oe	<b>A1</b>	Dep on M3 with no incorrect work seen

11. 0580\_m22\_ms\_42 Q: 7

Question	Answer	Marks	Partial Marks
(a)	31.5	3	<b>M2</b> for $17.5 \times \sqrt{\frac{1134}{350}}$ oe or <b>M1</b> for $\sqrt{\frac{1134}{350}}$ oe isw or $\sqrt{\frac{350}{1134}}$ oe isw or for $\frac{1134}{350} = \left(\frac{x}{17.5}\right)^2$ oe
(b)	163.9375 or $163\frac{15}{16}$ final answer	2	<b>B1</b> for $15 + 0.25$ or $10.5 + 0.25$ or better seen
(c)	40.5[0]	2	<b>M1</b> for $x \times \left(1 - \frac{18}{100}\right) = \frac{166.05}{[5]}$ oe
(d)	\$2.23 final answer	3	<b>B2</b> for 2.227... or 2.23 seen OR <b>M2</b> for $57 - \frac{48.2}{0.88}$ oe or <b>M1</b> for $\frac{48.2}{0.88}$ oe If 0 scored <b>SC1</b> for $57 \times 0.88$ oe seen

12. 0580\_s22\_ms\_42 Q: 2

Question	Answer	Marks	Partial Marks
(a)	$PQR = 90$ angle in semi-circle	<b>B1</b>	
	$PRQ = 61$ angle sum of triangle [= 180]	<b>B1</b>	
	$PSQ = 61$ angle in same segment	<b>B1</b>	If 0 scored <b>SC1</b> for $PSQ = PRQ$ [= 61] soi
(b)	57	4	<b>B1</b> for $ABT = 98$ <b>B1</b> for $TAB$ or $ATB = 41$ <b>B1</b> for $BTC = 41$ or $TBC = 82$ or $ATC = 82$ soi

13. 0580\_s22\_ms\_42 Q: 9

Question	Answer	Marks	Partial Marks
(a)	$PMR = MSR = \text{right angle[s] or } 90^\circ$	<b>B1</b>	
	$PRM = MRS$ same angle	<b>B1</b>	
	AAA oe OR $MPR = SMR$ 3rd angle of triangle	<b>B1</b>	<b>Dep</b> on B1B1 and no errors seen

Question	Answer	Marks	Partial Marks
(b)(i)	5.5	2	<b>M1</b> for $\frac{x}{4.5} = \frac{9.9}{8.1}$ oe
(b)(ii)	16.7 or 16.73 to 16.74	2	<b>M1</b> for $25 \times \left(\frac{8.1}{9.9}\right)^2$ oe or $25 \times \left(\frac{4.5}{\text{their } 5.5}\right)^2$ oe

14. 0580\_m21\_ms\_42 Q: 3

	Answer	Mark	Partial Marks
(a)	126 54 117	3	<b>B1</b> for each
(b)	angle [in a] semicircle is 90	<b>B1</b>	Do not accept triangle for angle
	Allied, co-interior [add to 180]  or Angles in triangle [= 180] <b>and</b> alternate oe	<b>B1</b>	
	32	<b>B1</b>	
(c)	109	2	<b>B1</b> for 218 or 71 in correct places or correctly labelled

15. 0580\_s21\_ms\_41 Q: 11

	Answer	Mark	Partial Marks
(a)	20	2	M1 for $\frac{360}{18}$ or $180 - \frac{16 \times 180}{18}$
(b)	4.5	2	M1 for $\frac{BE}{6.75} = \frac{5.2}{5.2 + 2.6}$ oe
(c)	5.8[0] or 5.798 to 5.799	3	M2 for $2 \times \sqrt[3]{\frac{780}{32}}$ oe or M1 for $\sqrt[3]{\frac{780}{32}}$ or $\sqrt[3]{\frac{32}{780}}$ or $\frac{2^3}{l^3} = \frac{32}{780}$
(d)	$QN = NR$ [given]	B1	
	Two correct pairs of angles with reasons from  angle $PQN =$ angle $SRN$ alternate  angle $QPN =$ angle $RSN$ alternate  angle $PNQ =$ angle $SNR$ [vertically] opposite	B2	B1 for any correct pair of angles with reason or two correct pairs of angles with no/wrong reasons
	ASA [implies congruent]	B1	dep on B1 B2

16. 0580\_p20\_ms\_40 Q: 9

	Answer	Mark	Partial Marks
(a)	45.[0] or 45.01 to 45.02 nfw	4	M2 for $55^2 + 70^2 - 2 \times 55 \times 70 \cos 40$ or M1 for correct implicit equation A1 for 2026.[...]
(b)	84.9 or 84.90 to 84.91	4	B1 for angle $BDC = 40$ soi M2 for $\frac{70 \sin(\text{their } 40)}{\sin 32}$ or M1 for correct implicit equation
(c)	4060 or 4063 to 4064 nfw	3	M2 for $\frac{1}{2}(55 \times 70 \sin 40)$ + $\frac{1}{2}(70 \times \text{their (b)} \sin (180 - \text{their } 40 - 32))$ oe or M1 for correct method for one of the triangle areas
(d)	35.4 or 35.35... nfw	2	M1 for $\sin 40 = \frac{\text{distance}}{55}$ or better or for $= \frac{1}{2}(55 \times 70 \sin 40) = (70 \times \text{distance}) \div 2$ or better

17. 0580\_s20\_ms\_43 Q: 6

	Answer	Mark	Partial Marks
(a)(i)	29.5 or 29.50...	4	<b>M2</b> for $\frac{11^2 + 5.3^2 - 6.9^2}{2 \times 11 \times 5.3}$ or <b>M1</b> for $6.9^2 = 11^2 + 5.3^2 - 2 \times 11 \times 5.3 \cos x$ <b>A1</b> for 0.87[0...] oe

	Answer	Mark	Partial Marks
(a)(ii)	13.4 or 13.38...	4	<b>B1FT</b> 84 – <i>their (a)(i)</i> <b>M2</b> for $\frac{11}{\sin 42} \times \sin 54.5$ or <b>M1</b> for implicit form
(b)	2700	4	<b>M2</b> for $15 \times 2.5 \times 20 \times 60 \times 60$ or <b>M1</b> for $15 \times 2.5 \times 20$ <b>M1</b> for <i>their</i> volume $\div 1000$ If 0 scored, <b>SC1</b> for figs 27 with no working

18. 0580\_s20\_ms\_43 Q: 8

	Answer	Mark	Partial Marks
(a)	12	2	<b>M1</b> for $150 = \frac{(n-2) \times 180}{n}$ or $\frac{360}{180-150}$ oe
(b)(i)	45	2	<b>B1</b> for angles at $M$ or $K = 45$ or angle at $L = 90$
(b)(ii)	85	2	<b>B1</b> for either angle in alt segment = 58
(b)(iii)	72	2	<b>B1</b> for either angle at $J$ or $H = 108$ or angle at $F = 72$
(c)	$OA = OB = OC = OD$ Radii	<b>B1</b>	
	$AB = CD$ chords equidistant from centre are equal	<b>B1</b>	
	SSS implies congruent	<b>B1</b>	

19. 0580\_w20\_ms\_42 Q: 8

	Answer	Mark	Partial Marks
(a)	$[v = ] 40$ $[w = ] 80$ $[x = ] 40$ $[y = ] 100$ $[z = ] 60$	5	<b>B1</b> for each <b>FT</b> angle $z$ as $140 - \text{their } w$
(b)	24	3	<b>M2</b> for $360 - 11x = 2 \times 2x$ oe or <b>M1</b> for $360 - 11x$ seen or obtuse angle $KOL = 2 \times 2x$ oe
(c)(i)	angle $ADX = \text{angle } BCX$ oe same segment oe  angle $DAX = \text{angle } CBX$ oe same segment oe  angle $AXD = BXC$ oe [vertically] opposite oe	<b>M2</b>	Accept in any order <b>M1</b> for one correct pair with reason  If 0 scored, <b>SC1</b> for two correct pairs of equal angles identified with incorrect/no reasons
	corresponding angles are equal oe	<b>A1</b>	
(c)(ii)(a)	8.75 or $8\frac{3}{4}$	2	<b>M1</b> for $\frac{8}{10} = \frac{7}{DX}$ oe
(c)(ii)(b)	81.8 or 81.78 to 81.79	4	<b>M2</b> for $[\cos[BXC] =] \frac{5^2 + 7^2 - 8^2}{2 \times 5 \times 7}$ oe or <b>M1</b> for $8^2 = 5^2 + 7^2 - 2 \times 5 \times 7 \times \cos(\dots)$ oe <b>A1</b> for $\frac{10}{70}$ oe

20. 0580\_w20\_ms\_43 Q: 5

	Answer	Mark	Partial Marks
(a)(i)	$81^\circ$ <u>Angle at centre is twice angle at circumference</u> oe	2	<b>B1</b> for $81^\circ$
(a)(ii)	$81^\circ$ Alternate segment [theorem] oe	2	<b>FT</b> <i>their (a)(i)</i> <b>B1FT</b> for $81^\circ$

	Answer	Mark	Partial Marks
(a)(iii)	123° <u>Angles</u> on a straight <u>line</u> [= 180] Opposite angles in a <u>cyclic quadrilateral</u> are supplementary oe	<b>3</b>	<b>FT</b> <i>their</i> acute <b>(a)(ii)</b> + 42 <b>B1</b> for each element
(b)(i)	Angle <i>PTU</i> = angle <i>PRQ</i> corresponding Angle <i>PUT</i> = angle <i>PQR</i> corresponding Angle <i>RPQ</i> is common oe	<b>M2</b>	Accept in any order  <b>M1</b> for one correct pair with reason  If 0 scored, <b>SC1</b> for two correct pairs of equal angles identified with incorrect/no reasons
	Corresponding angles are equal oe	<b>A1</b>	
(b)(ii)(a)	4 : 7 oe	<b>1</b>	
(b)(ii)(b)	41.25 oe	<b>3</b>	<b>M2</b> for $20 \times \left(\frac{7}{4}\right)^2$ oe or $20 \times \frac{7^2 - 4^2}{4^2}$ oe or <b>M1</b> for $\left(\frac{7}{4}\right)^2$ or $\left(\frac{4}{7}\right)^2$ or $\frac{7^2 - 4^2}{4^2}$ or $\frac{4^2}{7^2 - 4^2}$

21. 0580\_m19\_ms\_42 Q: 4

	Answer	Mark	Partial Marks
(a)	Correct ruled line with <i>D</i> marked	<b>2</b>	<b>B1</b> for correct ruled line or short line
(b)	47.5	<b>2</b>	<b>B1</b> for 9.5 or 95 mm seen or for answer figs 465 to figs 485
(c)	Correct arc radius 7 cm	<b>2</b>	<b>B1</b> for complete arc other radius, centre <i>A</i> or correct but short arc
	Correct ruled perpendicular bisector of <i>BC</i> with correct pairs of arcs	<b>2</b>	<b>B1</b> for correct perpendicular bisector without correct arcs or for correct arcs, no/incorrect line
	Correct ruled bisector of angle <i>BCD</i> with correct pairs of arcs	<b>2</b>	<b>B1</b> for correct angle bisector without correct arcs or for correct arcs, no/incorrect line
	correct region shaded	<b>1</b>	Dep on at least <b>B1B1B1</b> and five boundaries one of which is an arc
(d)	[1 :] 500	<b>1</b>	

	Answer	Mark	Partial Marks
(a)	103	3	<p><b>M1</b> for angle <math>ABC</math> or angle <math>ACB = \frac{1}{2}(180 - 26)</math>  or  <b>M1</b> for angle <math>ABF = 26</math>  or angle <math>CBD</math> or angle <math>FBE = 77</math> or exterior  angle <math>ACB = 103</math> correctly identified or in  correct position</p>

	Answer	Mark	Partial Marks
(b)	75	5	<p><b>B4</b> for 105 at <math>a</math> or <math>b</math> or 73 at <math>c</math> <b>and</b> 32 at <math>d</math></p> <p>or <b>B3</b> for 58 at <math>m</math> or 58 at <math>e</math> <b>and</b> 17 at <math>k</math></p> <p>or <b>B2</b> for 32 at <math>d</math> <b>and</b> 90 soi at <math>(c+k)</math> or 32 at <math>d</math> <b>and</b> 17 at <math>k</math> or 73 at <math>c</math></p> <p>or <b>B1</b> for 90 soi at <math>(c + k)</math> or between tangent and radius or 32 at <math>d</math> or 17 at <math>k</math></p>



23. 0580\_s19\_ms\_42 Q: 7

	Answer	Mark	Partial Marks
(a)	$180 - \frac{360}{5}$ or $\frac{(5-2) \times 180}{5}$ or $\frac{(2 \times 5 - 4) \times 90}{5}$ or $\frac{5 \times 180 - 360}{5}$	<b>M2</b>	or <b>M1</b> for $\frac{360}{5}$ or $(5-2) \times 180$ or $90(2 \times 5 - 4)$ or $3 \times 180 \div 5$ or $6 \times 90 \div 5$ or $5 \times 180 - 360$  If 0 scored, <b>SC1</b> for $\frac{5-2 \times 180}{5}$
(b)(i)	7.05 or 7.053...	<b>3</b>	<b>M2</b> for $12 \times \cos 54$ oe  or <b>M1</b> for implicit form or <b>B1</b> for length of edge of pentagon = 14.1 to 14.11 If 0 scored, <b>SC1</b> for right angle at <i>M</i>
(b)(ii)(a)	22.8 or 22.81 to 22.83... nfw	<b>3</b>	<b>M2</b> for $\frac{\text{their (b)(i)}}{\cos 72}$ oe  or <b>M1</b> for implicit form oe or <b>B1</b> for $AX = 36.9$ or 36.93 to 36.94
(b)(ii)(b)	179 or 179.1 to 179.3...	<b>3</b>	<b>M2</b> for $\frac{1}{2} \times 12 \times \text{their } AX \times \sin 54$ oe or $\frac{1}{2} \times 12 \times \text{their } OX \times \sin 108$ oe or $\frac{1}{2} \times \text{their } AX \times \text{their } OX \times \sin 18$ or $\frac{1}{2} \times 12^2 \times \sin 72 + \text{area } OBX$ oe or $\frac{1}{2} \times 12^2 \times \sin 72 + \text{area } OMB + \text{area } MBX$ oe  or <b>M1</b> for a correct method to find area of one relevant triangle <i>AOB</i> , <i>OMB</i> , <i>MBX</i> , <i>OBX</i> or <i>ONX</i> <b>seen</b>

	Answer	Mark	Partial Marks
(a)(i)	$\angle ACD = 46$ soi or $\angle CDE = 44$ soi	<b>B2</b>	<b>B1</b> for angle $ADC = 108$ or angle $DCB = 18$
	$\frac{58 \sin 108}{\sin their 46}$	<b>M2</b>	<b>M1</b> for $\frac{\sin 108}{x} = \frac{\sin their 46}{58}$ oe
	76.68... nfw	<b>A1</b>	
(a)(ii)	10.9 or 10.91 to 10.94	<b>3</b>	<b>B2</b> for $[AB =] 68.9$ or $68.91$ to $68.94$ or <b>M2</b> for a correct explicit statement for $AB$ or $BD$ or <b>M1</b> for $\frac{AB}{76.7} = \cos 26$ oe
(b)(i)	10.4 or 10.43 to 10.44	<b>4</b>	<b>M3</b> for $\sqrt{\frac{70}{\sin 40}}$ oe or <b>M2</b> for $x^2 \times \sin 40 = 70$ oe or <b>M1</b> for $\frac{1}{2}x \times 2x \times \sin 40 = 70$
(b)(ii)	140	<b>1</b>	

25. 0580\_w19\_ms\_41 Q: 1

	Answer	Mark	Partial Marks
(a)	$[p = ] 132$ $[q = ] 77$	3	<b>B1</b> for 132 [ $=p$ ] <b>B2</b> for 77 [ $=q$ ] or <b>M1</b> for $180 - (55 + 48)$ oe or for <i>their</i> $p - 55$
(b)	74	3	<b>B2</b> for $5x - 10 = 360$ or <b>M1</b> for $x + (x + 5) + (2x - 25) + (x + 10) = 360$ or for $5x - 10 = k$
(c)	175	3	<b>M2</b> for $180 - \frac{360}{72}$ or for $\frac{180(72 - 2)}{72}$ or <b>M1</b> for $\frac{360}{72}$ or for $180(72 - 2)$
(d)	$[u = ] 30$ $[v = ] 60$ $[w = ] 60$ $[x = ] 120$ $[y = ] 40$	6	<b>B1</b> for 30 <b>B1</b> for 60 <b>B1</b> for 60 FT <i>their</i> $v$ <b>B1</b> for 120 FT $2 \times$ <i>their</i> $w$ <b>B2</b> for 40 or <b>B1</b> for angle $BDC = 20$ or angle $ADO = 30$ or angle $ADB = 70$
(e)	26	4	<b>B3</b> for $360 - 22 = 10x + 3x$ oe or better or for $5x + 1.5x = 180 - 11$ oe or better  or <b>M2</b> for $360 - (3x + 22) = 2 \times 5x$ oe or for $5x + \frac{1}{2}(3x + 22) = 180$ oe or <b>SC2</b> for $360 + 22 = 10x + 3x$ oe or better or <b>M1</b> for $180 - 5x$ , $10x$ or $360 - (3x + 22)$ correctly placed on the diagram or identified or for angle $A +$ angle $C = 5x$

	Answer	Mark	Partial Marks
(a)(i)	$2a + a + 2b + 3b + 10 = 180$ leading to $3a + 5b = 170$ without error or omission	1	
(a)(ii)	$8a + 3a + 2b + b + 50 + 4b - 2a = 360$ leading to $9a + 7b = 310$ without error or omission	1	
(a)(iii)	Correct method to eliminate one variable	M1	
	$[a =]15$ $[b =]25$	A2	A1 for each correct value If 0 scored, SC1 for two values that satisfy one of the equations or for two correct answers with no/incorrect working
(a)(iv)	30	1	
(b)	$-1.5$ or $-1\frac{1}{2}$ or $-\frac{3}{2}$	2	M1 for $6x = -12 + 3$ or better
(c)	$\frac{3x+3}{2}$ oe final answer	3	M1 for $8x - 2y = 5x - 3$ or $4x - y = \frac{1}{2}(5x - 3)$ M1FT for isolating the $y$ term correctly
(d)	$9x^6$	2	M1 for $(3x^3)^2$ or $(729x^{18})^{\frac{1}{3}}$ seen or for $9x^k$ or $kx^6$ as final answer
(e)	$\frac{x}{x-5}$ final answer nfw	3	M1 for $x(x+5)$ M1 for $(x-5)(x+5)$

27. 0580\_s18\_ms\_41 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	9	1	
(a)(ii)	$ABCD$ completed accurately with arcs	2	<b>M1</b> for intersecting arcs radius <i>their</i> 9 cm or for $ABCD$ completed accurately with no arcs
(b)	Correct ruled perpendicular bisector of $AB$ with 2 correct pairs of arcs Correct ruled bisector of angle $ABC$ with 2 correct pairs of arcs Lines intersecting	4	<b>B2</b> for correct ruled perpendicular bisector of $AB$ with 2 correct pairs of arcs or <b>B1</b> for correct perpendicular bisector without/wrong arcs and <b>B2</b> for correct ruled bisector of angle $ABC$ with 2 correct pairs of arcs or <b>B1</b> for correct bisector of angle $ABC$ without/wrong arcs  If lines do not intersect, max <b>B3</b>

28. 0580\_s18\_ms\_41 Q: 8

	Answer	Mark	Partial Marks
(a)	18	3	<b>B2</b> for 20 nfw or <b>M1</b> for $8x + x = 180$ or better
(b)	32	3	<b>B1</b> for angle $DBC = 58$ <b>B1</b> for angle $BCD = 90$
(c)(i)	24	2	<b>B1</b> for angle $PRQ = 24$
(c)(ii)	29.4 or 29.40 to 29.41	3	<b>M2</b> for $\frac{360 - 48}{360} \times 2 \times \pi \times 5.4$ or <b>B2</b> for answer (minor arc) 4.52 or 4.523 to 4.524... or <b>M1</b> for $\frac{48}{360} \times 2 \times \pi \times 5.4$

	Answer	Mark	Partial Marks
(a)(i)(a)	62 and Isosceles [triangle] and Angle at centre is twice angle at circumference oe	3	<b>B2</b> for 62 and one correct reason or <b>B1</b> for 62 with no/wrong reason or for angle $EOD = 124$ soi or for no/wrong angle with correct reason
(a)(i)(b)	62 and [Angles in] same segment oe or angle at centre is twice angle at circumference oe	2	<b>2FT</b> <i>their</i> <b>(a)(i)(a)</b> and correct reason  <b>B1FT</b> for <i>their</i> <b>(a)(i)(a)</b> with no/wrong reason or for no/wrong angle with correct reason
(a)(ii)	8	3	<b>M2</b> for $(180 - 109) - 28 - 35$ oe or <b>M1</b> for [angle $AED =$ ] $180 - 109$ oe
(b)(i)	24	3	$x = \text{ext angle}$ <b>B2</b> for $[x = ] 15$ isw or <b>M1</b> for $x + 11x = 180$ oe or for $\frac{180(n-2)}{[n]} = \frac{360}{[n]} \times 11$
(b)(ii)	3960	2	<b>FT</b> ( <i>their</i> $24 - 2$ ) $\times 180$ dep on <b>(b)(i)</b> an integer and $> 6$ <b>M1</b> for ( <i>their</i> $24 - 2$ ) $\times 180$ oe or <i>their</i> $24 \times 11 \times \text{their } 15$ oe or $11 \times 360$

30. 0580\_w18\_ms\_41 Q: 1

	Answer	Mark	Partial Marks
(a)(i)	2.25 final answer	2	<b>M1</b> for $\frac{3}{5+3}$ or $\frac{6}{5+3}$ oe
(a)(ii)	37.5	1	<b>FT</b> <i>their</i> $\frac{(a)(i)}{6} \times 100$
(a)(iii)	5.5[0] or 5.499 to 5.500	2	<b>M1</b> for $6 \div 1.091$
(b)	21	3	<b>M2</b> for $15 \times \sqrt{\frac{352.8}{15 \times 12}}$ oe or <b>SC2</b> for answer 16.8 or <b>M1</b> for $\sqrt{\frac{352.8}{15 \times 12}}$ or $\sqrt{\frac{15 \times 12}{352.8}}$ seen or <b>M1</b> for a correct implicit statement for the length
(c)	525	3	<b>M2</b> for $\frac{483}{100-8} [\times 100]$ oe or <b>M1</b> for 483 associated with 92 [%]

31. 0580\_w18\_ms\_42 Q: 7

	Answer	Mark	Partial Marks
(a)	29	1	
(b)	128	2	<b>FT</b> $180 - 2 (55 - \text{their } (a))$ <b>M1</b> for angle $OCA$ or angle $OAC = 55 - \text{their } (a)$ soi
	Answer	Mark	Partial Marks
(c)	64	1	<b>FT</b> <i>their</i> $(b) \div 2$
(d)	116	1	<b>FT</b> $180 - \text{their } (c)$

	Answer	Mark	Partial Marks
(a)	52[.0] or 52.02...	4	<b>M2</b> for $[\cos =] \frac{13^2 + 4^2 - 11^2}{2 \times 13 \times 4}$ or <b>M1</b> for $11^2 = 13^2 + 4^2 - 2 \times 13 \times 4 \cos(\dots)$ <b>A1</b> for $[\cos^{-1} =] \frac{64}{104}$ oe or 0.615 or 0.6153 to 0.6154
(b)	62.7 or 62.69 to 62.70	4	<b>M3</b> for $180 - \sin^{-1}\left(\frac{8 \sin 80}{13}\right) - 80$ oe  or <b>M2</b> for $\sin A = \frac{8 \sin 80}{13}$ or <b>M1</b> for $\frac{13}{\sin 80} = \frac{8}{\sin A}$ oe  <b>A1</b> for 37.3 or 37.30...  If 0 scored, <b>M1</b> for $180 - 80 - \text{their } A$
(c)	66.7 or 66.68 to 66.71	3	<b>M1</b> for $0.5 \times 13 \times 4 \times \sin(\text{their } ACB)$ oe  <b>M1</b> for $0.5 \times 8 \times 13 \times \sin(\text{their } ACD)$ oe



33. 0580\_w18\_ms\_43 Q: 8

	Answer	Mark	Partial Marks
(a)(i)	4	2	<b>M1</b> for correct method using similar triangles e.g. $\frac{10}{5} = \frac{8}{DX}$ oe
(a)(ii)	36.9 or 36.86 to 36.87	2	<b>M1</b> for $\tan = \frac{6}{8}$ or $\sin = \frac{6}{10}$ or $\cos = \frac{8}{10}$ oe
(b)	[v = ] 150	<b>B1</b>	
	[w = ] 15	<b>B2</b>	<b>FT</b> $(180 - \text{their } v) \div 2$ <b>M1</b> for $180 - 2w = \text{their } v$ oe or angle $POQ = 180 - \text{their } v$ oe
	[x = ] 15	<b>B1</b>	<b>FT</b> <i>their w</i>
	[y = ] 10	<b>B2</b>	<b>M1</b> for angle $TPS = 5^\circ$ or angle $TXS = 20^\circ$ or $OX P = 20^\circ$ or $TX P = 160^\circ$ (where $X$ is where $OT$ and $PS$ intersect)
(c)	182 or 182.4...	3	<b>M2</b> for $\left(\frac{94}{226}\right)^{\frac{3}{2}} \left[ = \frac{V}{680} \right]$ oe or <b>M1</b> for ratio of lengths = $\sqrt{\frac{226}{94}}$ or $\sqrt{\frac{94}{226}}$ or better or for $\frac{V^2}{680^2} = \frac{94^3}{226^3}$ oe

34. 0580\_m17\_ms\_42 Q: 6

	ANSWER	MARK	PARTIAL MARKS
(a) (i)	27	1	
(ii)	3.89 or 3.888 to 3.889	2	<b>M1</b> for $\frac{7}{EZ} = \frac{9}{5}$ oe
(b)	76 cao	3	<b>B2</b> for $ABC = 104$ or $AOC = 152$ or $COD = 28$ or $OBA = 52$ <b>and</b> $OBC = 52$ or $BCD = 128$ <b>and</b> $OCB = 52$ or <b>B1</b> for any one of $OBA, OBC,$ $OCB = 52$ or $BCD = 128$

	ANSWER	MARK	PARTIAL MARKS
(c) (i)	90	1	
	angle in semicircle	1	
(ii)	27	1	
	tangent [perpendicular to] radius	1	
(iii)	rectangle	1	

35. 0580\_m17\_ms\_42 Q: 8

	ANSWER	MARK	PARTIAL MARKS
(a) (i)	5.14 or 5.135 to 5.142 nfw	4	<p><b>M2</b> for <math>[XY^2 =] 12.5^2 + 9.9^2 - 2 \times 12.5 \times 9.9 \times \cos 23</math>  or <b>M1</b> for implicit version  <b>A1</b> for 26.4 to 26.5  OR  <b>B1</b> for <math>[XYT =] 108</math> or <math>[TXY =] 49</math>  <b>M2</b> for <math>\frac{12.5 \sin 23}{\sin(180 - 72)}</math> oe  or <b>M1</b> for <math>\frac{\sin(180 - 72)}{12.5} = \frac{\sin 23}{XY}</math> oe</p>

	ANSWER	MARK	PARTIAL MARKS
(ii)	15.6 or 15.7 or 15.64 to 15.68	3	<p><b>M2</b> for <math>[TZ =] \frac{9.9}{\sin 37} \times \sin(72)</math> oe  or <b>M1</b> for <math>\frac{9.9}{\sin 37} = \frac{TZ}{\sin 72}</math> oe  OR  <b>M2</b> for <math>\frac{12.5 \times \sin(180 - 23 - 108)}{\sin 37}</math> oe  or <b>M1</b> for <math>\frac{\sin 37}{12.5} = \frac{\sin(180 - 23 - 108)}{TZ}</math> oe</p>
(b)	3.79 or 3.793 to 3.794	4	<p><b>M3</b> for <math>r = 20.5 \div \left( 2 + \frac{3 \times 65 \times 2\pi}{360} \right)</math> oe  or <b>M2</b> for <math>20.5 = 2r + \frac{3 \times 65}{360} \times 2\pi r</math> oe  or <b>M1</b> for <math>[3 \times] \frac{65}{360} \times 2\pi r</math> oe  or <math>20.5 = 2r +</math> expression involving <math>\pi</math></p>

36. 0580\_s17\_ms\_43 Q: 2

	ANSWER	MARK	PARTIAL MARKS
(a)	38	1	
	118	1	
	62	1FT	FT 180 – <i>their</i> $y$
(b)	69	3	B2 for $ACB = 42$ or B1 for $ADB = 42$ If zero scored, SC1 for $ACB = \text{their } ADB$
(c)	107	2	B1 for $QPS = 73$ or [reflex] $QOS = 214$

37. 0580\_w17\_ms\_41 Q: 2

	ANSWER	MARK	PARTIAL MARKS
(a)	122	4	<p>B3 for 238 or 61 or 58 correctly identified in working or on diagram or B2 for 952 seen or 74 or 119 or 29 correctly identified in working or on diagram OR Method 1 using sum of interior angles M1 for <math>(8 - 2) \times 180</math> or 1080 isw M1 for <i>their</i> <math>1080 - 4 \times 32</math> M1 for <math>360 - \text{their } 952 \div 4</math> OR Method 2 using isosceles triangles and square M1 for <math>(180 - 32) \div 2</math> or for 90 M1 for <i>their</i> <math>74 \times 2 + 90</math> or <math>90 - \text{their } 74</math> M1 for <math>360 - \text{their } 74 \times 2 + 90</math> or <math>90 + 2(90 - \text{their } 74)</math> OR Method 3 using four kites joined to centre M1 for <math>360 \div 4</math> M1 for <math>(360 - (\text{their } 90 + 32)) \div 2</math> M1 for <math>2(180 - \text{their } 119)</math> OR Method 4 using square around outside M1 for <math>90 - 32</math> M1 for <math>(90 - 32) \div 2</math> M1 for <math>180 - 2(\text{their } 29)</math></p>
(b)	105	3	<p>M2 for <math>360 = 2 \times y + (2y - 60)</math> oe or <math>2(180 - y) = 2y - 60</math> oe  or B1 identifying in working or on diagram a relevant angle in terms of <math>y</math></p>