

01. 0580\_m24\_ms\_42 Q: 7

Question	Answer	Marks	Partial Marks
(a)(i)	$\begin{pmatrix} -12 \\ 15 \end{pmatrix}$	1	
(a)(ii)(a)	$\begin{pmatrix} 12 \\ -10 \end{pmatrix}$	1	
(a)(ii)(b)	15.6 or 15.62...	2	<b>M1dep</b> for $their 12^2 + (their [-]10)^2$ oe, dep $their 12 \neq 0$ and $their -10 \neq 0$
(b)	$\frac{3}{8}a + \frac{5}{8}b$ final answer	3	<b>B2</b> for an unsimplified correct answer or $MS = \frac{5}{8}(b - a)$ soi or $NS = \frac{3}{8}(-b + a)$ soi  or <b>B1</b> for correct route for $\overline{OS}$  or for $MN = \mathbf{b} - \mathbf{a}$ or $NM = \mathbf{a} - \mathbf{b}$

02. 0580\_s24\_ms\_41 Q: 2

Question	Answer	Marks	Partial Marks
(a)(i)	Triangle at (2, 1) (1, 3) (5, 3)	1	
(a)(ii)	Triangle at (-4, -5) (-3, -3) (0, -5)	2	<b>B1</b> for translation by $\begin{pmatrix} -5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$
(a)(iii)	Triangle at (-2.5, 2) (-4, 3) (-2, 3)	2	<b>B1</b> for enlargement by sf $-\frac{1}{2}$ with any centre
(b)	14.4	3	<b>M2</b> for $[10 \times] 3^2 \times \left(\frac{2}{5}\right)^2$ oe  or <b>M1</b> for $3^2$ or $\left(\frac{2}{5}\right)^2$ soi

Question	Answer	Marks	Partial Marks
(a)(i)	$\begin{pmatrix} 4 \\ -12 \end{pmatrix}$	<b>2</b>	<b>B1</b> for each
(a)(ii)	$1^2 + 7^2$	<b>M1</b>	
	$5^2 + ([-]5)^2$	<b>M1</b>	
	Both $\sqrt{50}$ oe	<b>A1</b>	With no errors seen If M0M0A0 scored SC1 for $\sqrt{50}$ oe for each
(a)(iii)	44.4 or 44.42[8...] to 44.435	<b>2</b>	FT <i>their</i> <b>(a)(ii)</b> correct to 3sf or better  <b>M1</b> for $2 \times \pi \times \text{their } \sqrt{50}$ oe
(a)(iv)	(3, 1)	<b>2</b>	<b>B1</b> for each

Question	Answer	Marks	Partial Marks
(a)(v)	$[y =] \frac{1}{3}x$	4	<p><b>B3</b> for a correct equation in the wrong form as final answer  Or <b>B2</b> for <math>1/3</math> stated or used as perpendicular gradient</p> <p>OR</p> <p><b>M1</b> for <math>[\text{grad } PQ] = \frac{7 - -5}{1 - 5}</math> oe</p> <p><b>M1</b> for <math>\frac{-1}{\text{their grad } PQ}</math></p> <p><b>M1dep</b> for substituting <i>their(a)(iv)</i> or <math>(0,0)</math> into  <math>y = \text{their } mx + c</math> oe dep on the 2nd M1 or B2</p>
(b)	$\frac{3}{5}\mathbf{a} + \frac{2}{5}\mathbf{b}$ final answer	4	<p><b>B3</b> for an unsimplified correct answer</p> <p>or <b>B2</b> for <math>AM = \frac{2}{5}(\mathbf{b} - \mathbf{a})</math> soi</p> <p>or <math>BM = \frac{3}{5}(\mathbf{a} - \mathbf{b})</math> soi</p> <p>or <b>B1</b> for <math>AB = \mathbf{b} - \mathbf{a}</math> or <math>BA = \mathbf{a} - \mathbf{b}</math></p> <p>or for a correct route for <math>OM</math></p> <p>or for correct diagram</p>

04. 0580 \_m23 \_ms\_42 Q: 4

Question	Answer	Marks	Partial Marks
(a)(i)	Triangle at $(3, -1), (9, -1), (9, 2)$	2	<b>B1</b> for correct shape, size and orientation or for correct plots but no triangle
(a)(ii)(a)	Triangle at $(3, 3), (4, 3), (3, 5)$	2	<b>B1</b> for correct shape size and orientation or for rotation about $(4, 2)$ $90^\circ$ anticlockwise or for correct plots but no triangle
(a)(ii)(b)	Triangle at $(4, 3), (5, 3), (5, 5)$	3	<b>B2</b> for correct shape size and orientation or for correct plots but no triangle or <b>M1</b> for $x + y = 6$ drawn
(a)(ii)(c)	Reflection $x = 4$	2	<b>B1</b> for each

Question	Answer	Marks	Partial Marks
(b)	$\frac{5}{7}\mathbf{a} + \frac{2}{7}\mathbf{b}$ final answer	3	<b>B2</b> for correct unsimplified answer OR <b>M2</b> for $\overrightarrow{HZ} = \frac{2}{7}(\mathbf{b} - \mathbf{a})$ or $\overrightarrow{KZ} = \frac{5}{7}(\mathbf{a} - \mathbf{b})$ oe or <b>M1</b> for $\overrightarrow{HK} = -\mathbf{a} + \mathbf{b}$ or $\overrightarrow{KH} = -\mathbf{b} + \mathbf{a}$ or for a correct route

05. 0580\_w23\_ms\_41 Q: 1

Question	Answer	Marks	Partial Marks
(a)(i)	Translation $\begin{pmatrix} -7 \\ -1 \end{pmatrix}$ oe	2	<b>B1</b> for each
(a)(ii)	Rotation 90° clockwise oe (5, 1)	3	<b>B1</b> for each
(b)(i)	Image at (2, 6) (3, 6) (3, 8)	2	<b>B1</b> for reflection in $y = k, k \neq 2$ or for reflection in $x = 2$
(b)(ii)	Image at (-4, 4) (-6, 4) (-6, 8)	2	<b>B1</b> for an enlargement, sf -2 in the wrong position

06. 0580\_w23\_ms\_41 Q: 10

Question	Answer	Marks	Partial Marks
(a)(i)	(15, 6)	2	<b>B1</b> for each
(a)(ii)	$\begin{pmatrix} 3 \\ 24 \end{pmatrix}$	1	
(a)(iii)	13.6 or 13.60...	2	<b>M1</b> for $(-11)^2 + 8^2$ oe
(b)(i)	$\mathbf{a} + \frac{3}{5}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{2}{5}(\mathbf{a} - \mathbf{b})$ leading to $\frac{2}{5}\mathbf{a} + \frac{3}{5}\mathbf{b}$ with no errors	<b>M3</b>	<b>M2</b> for $[\overrightarrow{MR} =] \frac{3}{5}(\mathbf{b} - \mathbf{a})$ oe or $[\overrightarrow{NR} =] \frac{2}{5}(\mathbf{a} - \mathbf{b})$ oe or <b>M1</b> for $\overrightarrow{MN} = \mathbf{b} - \mathbf{a}$ or $\overrightarrow{NM} = \mathbf{a} - \mathbf{b}$ or a correct route for $\overrightarrow{OR}$
(b)(ii)(a)	$k = 5, c = 10$	4	<b>B2</b> for $c = 10$ or <b>M1</b> for $c(\frac{2}{5}\mathbf{a} + \frac{3}{5}\mathbf{b}) = \mathbf{b} + 4\mathbf{a} + k\mathbf{b}$ oe or for $\frac{2}{5}c = 4$ and <b>M1</b> for $\frac{3}{5} \times \text{their } c = k + 1$
(b)(ii)(b)	$3\mathbf{a} + 6\mathbf{b}$ final answer	1	<b>FT</b> $3\mathbf{a} + (\text{their } k + 1)\mathbf{b}$

AcelGCSE  
Paper Perfection, Crafted With Passion

07. 0580\_w23\_ms\_42 Q: 1

Question	Answer	Marks	Partial Marks
(a)(i)	Image at $(-5, 3)$ , $(-1, 3)$ , $(-1, 5)$	2	<b>B1</b> for translation $\begin{pmatrix} -7 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 1 \end{pmatrix}$
(a)(ii)	Translation $\begin{pmatrix} 7 \\ -1 \end{pmatrix}$ cao	1	
(b)	Image at $(6, 4)$ , $(6, 6)$ , $(2, 6)$	2	<b>B1</b> for reflection in line $x = 4$ or for reflection in line $y = k$
(c)	Image at $(2, -2)$ , $(2, -6)$ , $(4, -6)$	2	<b>B1</b> for correct size and orientation or for rotation $90^\circ$ anticlockwise about $(0, 0)$
(d)(i)	Image at $(-1, -1)$ , $(-3, -1)$ , $(-3, -2)$	2	<b>B1</b> for correct size and orientation or for enlargement SF $\frac{1}{2}$ , centre $(0, 0)$
(d)(ii)	Enlargement and [centre] $(0, 0)$ [factor] $-2$	2	<b>B1</b> for Enlargement <b>and</b> [centre] $(0, 0)$ <b>B1</b> for [factor] $-2$

08. 0580\_w23\_ms\_42 Q: 12

Question	Answer	Marks	Partial Marks
(a)(i)	$\begin{pmatrix} 2 \\ 5 \end{pmatrix}$	1	
(a)(ii)	$\begin{pmatrix} -6 \\ 4 \end{pmatrix}$	1	
(b)	$[y =] -\frac{2}{3}x + \frac{19}{3}$ oe	3	<b>M1</b> for gradient $= \frac{1-5}{8-2}$ oe <b>M1</b> for substituting $(8, 1)$ or $(2, 5)$ into $y = \text{their } mx + c$
(c)	$[y =] \frac{3}{2}x - \frac{9}{2}$ oe	4	<b>B1</b> for $(5, 3)$ oe <b>M1</b> for gradient $= -\frac{1}{\text{their gradient of } AB}$ <b>M1</b> substituting <i>their</i> midpoint into $y = \text{their } mx + c$
(d)	$\frac{65}{6}$ oe	2	<b>M1</b> for <i>their</i> $\frac{19}{3} - \text{their } -\frac{9}{2}$ oe

09. 0580\_w23\_ms\_43 Q: 3

Question	Answer	Marks	Partial Marks
(a)	Rotation $90^\circ$ [anticlockwise] oe (2, 7)	3	B1 for each
(b)(i)	Image at $(-4, -1)$ , $(-3, -1)$ , $(-4, -4)$	2	B1 for reflection in $y = k$ or $x = 1$
(b)(ii)	Image at $(2, -4)$ , $(1, -4)$ , $(1, -1)$	2	B1 for translation by $\begin{pmatrix} 5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -7 \end{pmatrix}$
(b)(iii)	Image at $(-4, 7)$ , $(-4, 1)$ , $(-2, 1)$	2	B1 for enlargement, factor 2 with other centre

10. 0580\_s22\_ms\_42 Q: 5

Question	Answer	Marks	Partial Marks
(a)	Correct lines drawn	2	B1 for one correct with no incorrect lines
(b)(i)(a)	Translation or translate $\begin{pmatrix} -1 \\ 4 \end{pmatrix}$ oe	2	B1 for each
(b)(i)(b)	Rotation or rotate $90^\circ$ [anticlockwise] oe [centre] (2, 1)	3	B1 for each
(b)(ii)(a)	Triangle at $(-5, 6)$ $(-2, 6)$ $(-2, 5)$	2	B1 for reflection in $y = k$

Question	Answer	Marks	Partial Marks
(b)(ii)(b)	Triangle at $(1, 5)$ $(1, 7)$ $(7, 7)$	2	B1 for correct size and orientation, wrong position

11. 0580\_s22\_ms\_43 Q: 2

Question	Answer	Marks	Partial Marks
(a)(i)	Triangle drawn at (2, - 1), (2, - 4), (3, - 4)	2	<b>B1</b> for two correct points If 0 scored, <b>SC1</b> for reflection of triangle $T$ in $y = -x$
(a)(ii)	Triangle drawn at (- 5, 6), (- 2, 5), (- 5, 5)	2	<b>B1</b> for translation by $\begin{pmatrix} -1 \\ k \end{pmatrix}$ or by $\begin{pmatrix} k \\ 3 \end{pmatrix}$ If 0 scored <b>SC1</b> for triangle drawn at (-4.5, 3.5), (-4.5, 4.5) and (-1.5, 3.5)
(a)(iii)	Enlargement [SF] - 1.5 oe [centre] (0, 3)	3	<b>B1</b> for each
(b)	28.8, $28\frac{8}{10}$ , $28\frac{4}{5}$	2	<b>M1</b> for $1.2^2$ oe

12. 0580\_w22\_ms\_41 Q: 6

Question	Answer	Marks	Partial Marks
(a)(i)	$\begin{pmatrix} -3 \\ 3 \end{pmatrix}$	1	
(a)(ii)	$\begin{pmatrix} 3 \\ 2 \end{pmatrix}$	1	
(a)(iii)	3.61 or 3.605 to 3.606	2	<b>M1</b> for $2^2 + 3^2$ oe
(b)	(6, 1)	2	<b>B1</b> for each

Question	Answer	Marks	Partial Marks
(c)	$\frac{2}{7}\mathbf{g} + \frac{3}{14}\mathbf{h}$	4	<b>B3</b> for correct unsimplified expression for $\overrightarrow{MK}$ or <b>B2</b> for $[\overrightarrow{MK}] = \frac{2}{7}\mathbf{g} + k\mathbf{h}$ or $[\overrightarrow{MK}] = k\mathbf{g} + \frac{3}{14}\mathbf{h}$ or $\overrightarrow{HK} = \frac{2}{7}(\mathbf{g} - \mathbf{h})$ oe or $\overrightarrow{GK} = \frac{5}{7}(\mathbf{h} - \mathbf{g})$ oe or <b>M1</b> for correct route for $\overrightarrow{MK}$



13. 0580\_w22\_ms\_42 Q: 4

Question	Answer	Marks	Partial Marks
(a)(i)	Translation $\begin{pmatrix} 7 \\ -8 \end{pmatrix}$ oe	2	B1 for each
(a)(ii)	Rotation  90° [anticlockwise] oe  (0, 8)	3	B1 for each
(a)(iii)	Enlargement $\frac{1}{2}$ [sf] oe [centre] (-1, -4)	3	B1 for each
(b)	Image at (-4, 4) (-3, 4) (-2, 5) (-2, 3) (-4, 3)	2	B1 for the line $y = x + 8$ drawn so long enough to be fit for purpose or correct size and orientation but wrong position

14. 0580\_w22\_ms\_42 Q: 11

Question	Answer	Marks	Partial Marks
(a)	2.5 and -2.5 oe	3	M2 for $1681m^2 = \frac{42025}{4}$ oe or M1 for $(9m)^2 + (40m)^2$ oe
(b)(i)(a)	$\mathbf{c} - \mathbf{a}$ final answer	1	
(b)(i)(b)	$\frac{3}{4}\mathbf{a}$ final answer	1	
(b)(i)(c)	$\mathbf{c} + \frac{3}{4}\mathbf{a}$ final answer	1	FT $\mathbf{c} + \text{their } (b)(i)(b)$ , must be a vector in terms of $\mathbf{a}$ and/or $\mathbf{c}$ in its simplest form
(b)(ii)	$\mathbf{a} + \frac{4}{3}\mathbf{c}$ oe	2	B1 for $[\overrightarrow{BQ}] = \frac{1}{3}\mathbf{c}$ or $[\overrightarrow{AQ}] = \frac{4}{3}\mathbf{c}$ or M1 for a correct route  or for answer $\mathbf{a} + k\mathbf{c}$ oe, where $k > 1$

15. 0580\_w22\_ms\_43 Q: 4

Question	Answer	Marks	Partial Marks
(a)	Triangle drawn at $(1, -5)$ , $(1, -7)$ , $(5, -5)$	2	B1 for reflection in any horizontal line If 0 scored, SC1 for reflection in $x = -2$
(b)	Triangle drawn at $(-2, 0)$ , $(-2, -1)$ , $(0, -1)$	2	B1 for correct size and orientation but wrong position
(c)	Rotation  90 [anticlockwise] oe  [centre] $(-1, 0)$	3	B1 for each

16. 0580\_w22\_ms\_43 Q: 10

Question	Answer	Marks	Partial Marks
(a)(i)	2a drawn correctly with direction arrow	1	
(a)(ii)	a - b drawn correctly with direction arrow	2	B1 for $\begin{pmatrix} 4 \\ -3 \end{pmatrix}$ seen or implied or M1 for correctly drawing <i>their</i> a - b with an arrow
(b)(i)(a)	$q + \frac{3}{4}p$ final answer	1	
(b)(i)(b)	$q - \frac{1}{4}p$ final answer	2	M1 for a correct route
(b)(i)(c)	$\frac{13}{24}p - \frac{2}{3}q$ final answer	3	M2 for $\frac{3}{8}p - \frac{2}{3}$ (their (b)(i)(b)) oe or for $\frac{3}{8}p - q + p + \frac{1}{3}$ (their (b)(i)(b)) oe or M1 for a correct route or for $\overrightarrow{BN} = -\frac{2}{3}$ (their (b)(i)(b)) or $\overrightarrow{AN} = \frac{1}{3}$ (their (b)(i)(b)) or final answer $kp - \frac{2}{3}q$ oe or $\frac{13}{24}p - kq$ oe
(b)(ii)	$\frac{19}{16}p$ oe final answer	2	M1 for $\overrightarrow{AG} = \frac{3}{8}p \div 2$ soi or for answer $kp$ oe

17. 0580\_m21\_ms\_42 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	rotation 90 anticlockwise oe (-3, 2)	3	B1 for each
(a)(ii)	enlargement $\frac{1}{2}$ (-2, -1)	3	B1 for each
(b)	Image at (-3, -5) (1, -5) (1, 3)	2	B1 for translation by $\begin{pmatrix} -5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -10 \end{pmatrix}$
(c)	Image at (2, 3) (6, 3) (6, -5)	2	B1 for reflection in $y = k$ or $x = 4$



**AcelGCSE**  
Paper Perfection, Crafted With Passion

	Answer	Mark	Partial Marks
(a)(i)(a)	$\begin{pmatrix} 5 \\ -13 \end{pmatrix}$ final answer	1	
(a)(i)(b)	$\begin{pmatrix} -4 \\ 11 \end{pmatrix}$ final answer	2	<b>B1</b> for answer $\begin{pmatrix} -4 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 11 \end{pmatrix}$ or $\begin{pmatrix} -6 \\ 16 \end{pmatrix}$ seen
(a)(i)(c)	5.39 or 5.385...	2	<b>M1</b> for $2^2 + ([-]5)^2$
(a)(ii)	$[k =] 8$ $[m =] -32$	3	<b>B2</b> for $k = 8$ or $m = -32$ or <b>M1</b> for $-3 + 2k = 13$ oe or for $m = -5 \times \text{their } k + 8$ correctly evaluated
(b)(i)(a)	$\mathbf{p} + \mathbf{q}$ final answer	1	
(b)(i)(b)	$\frac{1}{2}\mathbf{p} - \frac{1}{2}\mathbf{q}$ or $\frac{1}{2}(\mathbf{p} - \mathbf{q})$ or $\frac{\mathbf{p} - \mathbf{q}}{2}$ final answer	2	<b>M1</b> for unsimplified answer or any correct vector route for $\overrightarrow{CM}$ , e.g. $-\mathbf{q} + \frac{1}{2}$ <i>their</i> (b)(i)(a)
(b)(i)(c)	$\frac{1}{2}\mathbf{p} + \frac{1}{10}\mathbf{q}$ or $\frac{5\mathbf{p} + \mathbf{q}}{10}$ final answer	2	<b>M1</b> for unsimplified answer or any correct vector route for $\overrightarrow{MN}$
(b)(ii)	$\frac{5}{3}\mathbf{p} + \mathbf{q}$ or $\frac{5\mathbf{p} + 3\mathbf{q}}{3}$ final answer	3	<b>B2</b> for unsimplified correct answer OR <b>M1</b> for $\mathbf{p} + \frac{3}{5}\mathbf{q}$ seen <b>B1</b> for final answer of form $k\mathbf{p} + \mathbf{q}$ ( $k > 1$ ) or final answer $\frac{5}{3}\mathbf{p} + j\mathbf{q}$ oe (any $j$ )

AcelGCSE  
Paper Perfection, Crafted With Passion

19. 0580\_s21\_ms\_42 Q: 7

	Answer	Mark	Partial Marks
(a)(i)	Triangle at (4, 0) (4, 3) (6, 3)	2	<b>B1</b> for translation by $\begin{pmatrix} 2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -1 \end{pmatrix}$ If 0 scored <b>SC1</b> for triangle at (3, 0.5) (3, 3.5) (5, 3.5)
(a)(ii)	Triangle at (1, -2) (4, -4) (4, -2)	2	<b>B1</b> for rotation 90 clockwise wrong centre or for rotation 90 anticlockwise about the origin
(a)(iii)	Triangle at (-4, 4) (-4, 2.5) (-5, 2.5)	2	<b>B1</b> for enlargement SF $-\frac{1}{2}$ with wrong centre or for enlargement SF $\frac{1}{2}$ with centre (-2, 3)
(b)	Reflection $y = -x$ oe	2	<b>B1</b> for each

20. 0580\_s21\_ms\_43 Q: 4

	Answer	Mark	Partial Marks
(a)(i)	(2, 7)	2	<b>B1</b> for each coordinate

	Answer	Mark	Partial Marks
(a)(ii)	$-\frac{1}{2}x + 8$ oe	4	<p>Correct equivalent in different form scores 3 marks.</p> <p><b>M1</b> for gradient of <math>AB = \frac{9-5}{3-1}</math> or <math>\frac{4}{2}</math> or 2</p> <p><b>M1 dep</b> for gradient</p> $p = -\frac{1}{\text{their grad of } AB}$ <p><b>M1 (dep on previous M1)</b> for substitution of <i>their</i> midpoint into <math>y = (\text{their } p)x + c</math> oe</p> <p>where <i>their</i> <math>p \neq 0</math></p>
(b)(i)	$\begin{pmatrix} 0 \\ 2 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} 0 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 2 \end{pmatrix}$
(b)(ii)	$\begin{pmatrix} -2 \\ 9 \end{pmatrix}$	2	<p><b>FT</b> <i>their</i> <math>\overrightarrow{PQ}</math></p> <p><b>B1FT</b> for <math>\begin{pmatrix} 0 \\ 6 \end{pmatrix}</math></p>
(c)(i)	$\frac{2}{3}\mathbf{t} + \frac{1}{3}\mathbf{u}$ or $\frac{1}{3}(2\mathbf{t} + \mathbf{u})$ final answer	2	<p><b>M1</b> for <math>\overrightarrow{UY} = \frac{2}{3}(\mathbf{t} - \mathbf{u})</math> oe</p> <p>or <math>\overrightarrow{TY} = \frac{1}{3}(\mathbf{u} - \mathbf{t})</math> oe</p> <p>or correct route soi</p>
(c)(ii)	$\frac{2}{3}\mathbf{t}$ cao	1	

21. 0580\_p20\_ms\_40 Q: 4

	Answer	Mark	Partial Marks
(a)(i)	Correct image (2, -5) (4, -5) (4, -2)	2	<b>SC1</b> for reflection in $y = 0$ or 3 correct points not joined
(a)(ii)	Correct image (-3, 1) (-6, 1) (-6, -1)	2	<b>SC1</b> for rotation $90^\circ$ clockwise any centre or 3 correct points not joined
(b)	Translation by $\begin{pmatrix} 1 \\ 9 \end{pmatrix}$	2	<b>B1</b> for each

22. 0580\_p20\_ms\_40 Q: 6

	Answer	Mark	Partial Marks
(a)(i)	$\frac{1}{2}\mathbf{p}$	1	
(a)(ii)	$\frac{1}{2}\mathbf{p} - \frac{1}{3}\mathbf{r}$	1	
(a)(iii)	$\mathbf{p} + \frac{2}{3}\mathbf{r}$	1	
(b)	$\mathbf{r} + \frac{3}{2}\mathbf{p}$	2	<b>M1</b> for correct unsimplified answer or for correct route or for recognising $\overrightarrow{OU}$ as position vector
(c)	6 nfwv	3	<b>B2</b> for $(2k)^2 + ([-]k)^2 = 180$ oe or <b>M1</b> for $(2k)^2 + ([-]k)^2$ oe

23. 0580\_s20\_ms\_41 Q: 4

	Answer	Mark	Partial Marks
(a)	Triangle at $(-4, -4)$ $(-1, -3)$ $(-4, -3)$	2	<b>B1</b> for correct points not joined or for reflection in any $y = k$ or for reflection in $x = -1$
(b)	Triangle at $(1, 1)$ $(1, 4)$ $(2, 4)$	2	<b>B1</b> for correct points not joined or rotation 90 clockwise around any point or rotation 90 anticlockwise around $(0, 0)$
(c)	Translation $\begin{pmatrix} 5 \\ -6 \end{pmatrix}$	2	<b>B1</b> for translation or correct vector oe

24. 0580\_s20\_ms\_42 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	$\begin{pmatrix} 6 \\ 17 \end{pmatrix}$	2	<b>B1</b> for each
(a)(ii)	6.4[0] or 6.403...	2	<b>M1</b> for $4^2 + 5^2$
(b)	$(1, 2)$	1	
(c)	$(0, -2)$	1	

	Answer	Mark	Partial Marks
(d)	$\frac{1}{2}\mathbf{c} + \frac{1}{3}\mathbf{d}$	3	<b>B2</b> for correct unsimplified answer or <b>M1</b> for $\overrightarrow{CT} = -\mathbf{c} + \frac{2}{3}\mathbf{d}$ oe or $\overrightarrow{TC} = \mathbf{c} - \frac{2}{3}\mathbf{d}$ oe or for correct route

25. 0580\_s20\_ms\_43 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	triangle with vertices at $(-2, -1)$ $(-8, -1)$ $(-2, -5)$	2	B1 for correct reflection in $y = x$
(a)(ii)	triangle with vertices at $(-1, -1)$ $(-1, -7)$ $(3, -7)$	2	B1 for translation by $\begin{pmatrix} k \\ -9 \end{pmatrix}$ or $\begin{pmatrix} -2 \\ k \end{pmatrix}$
(b)(i)	Enlargement [centre] $(-7, 8)$ [sf] $\frac{1}{2}$	3	B1 for each
(b)(ii)	Rotation [centre] $(0, 0)$ $90^\circ$ clockwise oe	3	B1 for each

26. 0580\_w20\_ms\_41 Q: 1

	Answer	Mark	Partial Marks
(a)	Image at $(4, -1)$ $(4, -4)$ $(5, -4)$	2	B1 for translation by $\begin{pmatrix} 8 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -6 \end{pmatrix}$ or for correct vertices not joined
(b)	Image at $(-4, -4)$ $(-4, -7)$ $(-3, -4)$	2	B1 for reflection in $x = -1$ or $y = k$ or for correct vertices not joined
(c)	Enlargement 3 $(-5, 5)$	3	B1 for each
(d)	Rotation $90^\circ$ clockwise oe $(1, 1)$	3	B1 for each



27. 0580\_w20\_ms\_42 Q: 2

	Answer	Mark	Partial Marks
(a)	Translation $\begin{pmatrix} 1 \\ -6 \end{pmatrix}$	2	B1 for each
(b)(i)	Image at (0, 1), (-3, 1), (-3, 2)	2	B1 for reflection in $x = k$ or $y = 1$
(b)(ii)	Image at (5, -4), (5, -1), (4, -1)	2	B1 for rotation $90^\circ$ anticlockwise with other centre or for rotation $90^\circ$ clockwise about (6, 0)
(b)(iii)	Image at (-1, -2), (-7, -2), (-7, -4)	2	B1 for enlargement, factor -2 with other centre

28. 0580\_w20\_ms\_43 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	Triangle at (-3, 2) (-3, 3) (-5, 2)	2	B1 for correct rotation about incorrect point or for rotation $90^\circ$ clockwise around (0, 0)
(a)(ii)	Triangle at (5, -2) (6, -2) (5, 0)	2	B1 for translation by $\begin{pmatrix} 3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$
(b)	Enlargement [SF] 3 [Centre] (1, 4)	3	B1 for each

Ace IGCSE  
Paper Perfection, Crafted With Passion

	Answer	Mark	Partial Marks
(a)(i)	$\begin{pmatrix} 4 \\ 4 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} 4 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 4 \end{pmatrix}$
(a)(ii)	$\begin{pmatrix} -4 \\ 8 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} -4 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 8 \end{pmatrix}$
(a)(iii)	5.39 or 5.385..	2	<b>M1</b> for $(-2)^2 + 5^2$ oe
(b)(i)	$\mathbf{a + b}$	1	
(b)(ii)	$\frac{3}{2}\mathbf{a + b}$	2	<b>M1</b> for a correct route, e.g. $\overrightarrow{OA} + \overrightarrow{AE}$
(b)(iii)	$2\mathbf{a} + \frac{4}{3}\mathbf{b}$	3	<p><b>M2</b> for unsimplified <math>\overrightarrow{OD}</math> or for <math>\frac{4}{3}\mathbf{b}</math></p> <p>or <b>M1</b> for <math>\overrightarrow{OD}</math> attempted in terms of <b>a</b> and <b>b</b></p> <p>or for <math>\overrightarrow{CD} = \frac{1}{3}\mathbf{b}</math> or <math>\overrightarrow{DB} = \frac{2}{3}\mathbf{b}</math> seen</p>

30. 0580\_m19\_ms\_42 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	Reflection $x = 1.5$	2	<b>B1</b> for each
(a)(ii)	Rotation $(0, -1)$ $90^\circ$ [anticlockwise] oe	3	<b>B1</b> for each
(b)(i)	Image at $(5, -1)$ $(6, -1)$ $(6, -3)$	2	<b>B1</b> for correct size and orientation but wrong position If 0 scored, <b>SC1</b> for enlargement SF $\frac{1}{2}$ with centre $(3, 0)$
(b)(ii)	Image at $(-6, 3)$ $(-4, 3)$ $(-6, 7)$	2	<b>B1</b> for translation $\begin{pmatrix} -3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 1 \end{pmatrix}$
(b)(iii)	Image at $(2, -1)$ $(2, -3)$ $(6, -3)$	3	<b>M2</b> for 3 correct coordinates soi or <b>M1</b> for $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} -1 & -3 & -3 \\ 2 & 2 & 6 \end{pmatrix}$ or <b>B1</b> for stating reflection in $y = x$

31. 0580\_s19\_ms\_41 Q: 1

	Answer	Mark	Partial Marks
(a)(i)	Image at $(1, 7)$ , $(4, 7)$ , $(4, 9)$ , $(3, 9)$	2	<b>B1</b> for translation by $\begin{pmatrix} -1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 6 \end{pmatrix}$
(a)(ii)	Image at $(5, 3)$ , $(6, 3)$ , $(8, 5)$ , $(5, 5)$	2	<b>B1</b> for $180^\circ$ rotation with wrong centre
(a)(iii)	Rotation $180^\circ$ $(4.5, 6)$  OR  Enlargement, [factor] $-1$ $(4.5, 6)$	3	<b>B1</b> for rotation <b>B1</b> for $180^\circ$ <b>B1FT</b> for centre from <i>their</i> (a)(i)  <b>B1</b> for enlargement <b>B1</b> for $-1$ <b>B1FT</b> for centre from <i>their</i> (a)(i)
(b)(i)	Image at $(1, 2)$ , $(1, 5)$ , $(3, 5)$ , $(3, 4)$	2	<b>B1</b> for $y = x$ drawn or for 3 correct points
(b)(ii)	$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$	2	<b>B1</b> for one correct row or one column within a 2 by 2 matrix

32. 0580\_s19\_ms\_43 Q: 3

	Answer	Mark	Partial Marks
(a)(i)	Image at $(-5, 4)$ , $(-2, 4)$ , $(-4, 6)$	2	<b>B1</b> for translation by $\begin{pmatrix} -3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 2 \end{pmatrix}$
(a)(ii)	Image at $(2, 1)$ , $(4, -1)$ , $(2, -2)$	2	<b>B1</b> for reflection in $y = -x$ or $y = x$ drawn
(b)	Rotation $90^\circ$ [anticlockwise] oe $(1, -1)$	3	<b>B1</b> for each
(c)(i)	$\begin{pmatrix} -2 & 0 \\ 0 & -2 \end{pmatrix}$	2	<b>B1</b> for 2 by 2 matrix with one correct row or column
(c)(ii)	Strict <b>FT</b> <i>their</i> <b>(c)(i)</b>	1	Answer not equal to zero <b>FT</b> <i>their</i> <b>(c)(i)</b> only if 2 by 2

33. 0580\_w19\_ms\_42 Q: 3

	Answer	Mark	Partial Marks
(a)(i)	$(3, 5.5)$	2	<b>B1</b> for either value correct
(a)(ii)	$\frac{5}{4}x + \frac{7}{4}$ final answer	3	<b>B2</b> for answer $\frac{5}{4}x + c$ oe or for correct equation in different form or <b>M1</b> for $\frac{8-3}{5-1}$ oe <b>and M1</b> for correct substitution shown of $(1, 3)$ or $(5, 8)$ or <i>their</i> (a)(i) into $y = (\text{their } m)x + c$ oe
(b)(i)	$(6, 1)$ $(10, 6)$	2	<b>B1</b> for 2 or 3 values correct
(b)(ii)	$(-3, 1)$ $(-8, 5)$	2	<b>B1</b> for 2 or 3 values correct If 0 scored, <b>SC1</b> for $(3, -1)$ and $(8, -5)$
(b)(iii)	$(3, 3)$ $(-1, 8)$	2	<b>B1</b> for 2 or 3 values correct but not for $(1, 3)$ and $(5, 8)$

	Answer	Mark	Partial Marks
(b)(iv)	$(5, -3)$ $(11, -8)$	2	B1 for either or M1 for $\begin{pmatrix} -1 & 2 \\ 0 & -1 \end{pmatrix} \begin{pmatrix} 1 \\ 3 \end{pmatrix}$ or $\begin{pmatrix} -1 & 2 \\ 0 & -1 \end{pmatrix} \begin{pmatrix} 5 \\ 8 \end{pmatrix}$
(c)	Enlargement -2 Origin oe	3	B1 for each

34. 0580\_w19\_ms\_42 Q: 8

	Answer	Mark	Partial Marks
(a)(i)	$\frac{m-7}{5}$ oe final answer	2	M1 for $5p = m - 7$ or $p + \frac{7}{5} = \frac{m}{5}$
(a)(ii)	$[\pm]\sqrt{\frac{y^2 - h}{2}}$ or $[\pm]\sqrt{\frac{h - y^2}{-2}}$ oe final answer	3	M1 for first correct step isolate term in $p$ or divide by $\pm 2$ M1 for second correct step FT <i>their</i> first step
(b)(i)	$\begin{pmatrix} 0 \\ 5 \end{pmatrix}$	1	
(b)(ii)	$\begin{pmatrix} -3 \\ -1 \end{pmatrix}$	1	

	Answer	Mark	Partial Marks
(b)(iii)	3.22 or 3.216... to 3.220...	6	B3 for [angle $AOB$ =] 36.8 or 36.9 or 36.84 to 36.87 or M2 for $\tan[AOB] = \frac{3}{4}$ oe or for $[AOB = ]2 \times \sin^{-1}$ $\left( \frac{\sqrt{(5-4)^2 + (0-3)^2}}{10} \right)$ oe or for $\cos [AOB = ]$ $\frac{5^2 + 5^2 - \left( \sqrt{(5-4)^2 + (0-3)^2} \right)^2}{2 \times 5 \times 5}$ oe or M1 for recognition of right-angle with perpendicular from $B$ to $OA$ or $x$ -axis or for $[AB^2 = ](5-4)^2 + (0-3)^2$ or better oe or $(\text{their } AB)^2 = 5^2 + 5^2 - 2 \times 5 \times 5 \times \cos OAB$ oe M2 for $\frac{\text{their angle } AOB}{360} \times 2 \times \pi \times 5$ oe or M1 for radius = 5 soi

35. 0580\_w19\_ms\_43 Q: 7

	Answer	Mark	Partial Marks
(a)	Reflection $y = -1$	2	B1 for each
(b)(i)	Image at $(-6, 5) (-6, 7) (-5, 7) (-4, 5)$	2	B1 for translation by $\begin{pmatrix} -3 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 4 \end{pmatrix}$

	Answer	Mark	Partial Marks
(b)(ii)	Image at $(1, -1) (3, -1) (3, -3) (2, -3)$	2	B1 for shape correct size and orientation but wrong position
(b)(iii)	Image at $(1, 2) (1, 6) (3, 6) (5, 2)$	2	B1 for shape correct size and orientation, wrong position

36. 0580\_w19\_ms\_43 Q: 11

	Answer	Mark	Partial Marks
(a)(i)	$8b - 4a$ oe	1	
(a)(ii)	$6b$	1	
(a)(iii)	$6b - 2a$ or $2(3b - a)$	1	FT $-2a +$ their (a)(ii)
(b)	$2 : 1$ oe final answer	3	Dep on correct $\overrightarrow{BC}$ or correct $\overrightarrow{AC}$ seen B2 for $\overrightarrow{BC} = 4b - 2a$ or M1 for a correct route for $\overrightarrow{BC}$ in terms of <b>a</b> and <b>b</b> or for a correct route for $\overrightarrow{AC}$ in terms of <b>a</b> and <b>b</b> If no/incorrect working seen then SC1 for final answer of $2 : 1$ (oe)

37. 0580\_s18\_ms\_41 Q: 4

	Answer	Mark	Partial Marks
(a)(i)	Translation $\begin{pmatrix} -8 \\ 2 \end{pmatrix}$ oe	2	B1 for each
(a)(ii)	Enlargement [sf = ] $\frac{1}{2}$ oe (-4, 0)	3	B1 for each
(a)(iii)	Rotation 90° clockwise oe (1, -1)	3	B1 for each
(b)	Triangle with (1, -1), (5, -1), (1, 7)	2	B1 for correct size and orientation in wrong position or for 3 correct points not joined

38. 0580\_s18\_ms\_41 Q: 11

	Answer	Mark	Partial Marks
(a)(i)	12.6 or 12.64 to 12.65	3	<b>M2</b> for $12^2 + (-4)^2$ OR <b>B1</b> for $\begin{pmatrix} 12 \\ -4 \end{pmatrix}$ <b>M1</b> for $(their\ 12)^2 + (their\ -4)^2$
(a)(ii)	$\begin{pmatrix} -11 \\ 13 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} -11 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 13 \end{pmatrix}$ or for $[\overrightarrow{BA}] = \begin{pmatrix} -8 \\ 7 \end{pmatrix}$
(b)	$\frac{1}{2}(\mathbf{b} - \mathbf{a})$ oe	2	<b>M1</b> for correct route or correct unsimplified answer or <b>B1</b> for $\overrightarrow{QS} = \mathbf{b} - \mathbf{a}$ oe
(c)(i)	$\begin{pmatrix} 9 & 50 \\ 10 & 69 \end{pmatrix}$	2	<b>B1</b> for 2 correct elements
(c)(ii)	$\frac{1}{11} \begin{pmatrix} 8 & -5 \\ -1 & 2 \end{pmatrix}$ oe isw	2	<b>B1</b> for $k \begin{pmatrix} 8 & -5 \\ -1 & 2 \end{pmatrix}$ or $\frac{1}{11} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ or $\det = 11$ soi

39. 0580\_s18\_ms\_42 Q: 3

	Answer	Mark	Partial Marks
(a)(i)	Image at $(3, -3), (7, -3), (7, -5)$	2	<b>B1</b> for reflection in any $x = k$ or if 3 correct points not joined
(a)(ii)	Image at $(-5, 1), (-1, 1), (-5, -1)$	2	<b>B1</b> for translation by $\begin{pmatrix} -2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 4 \end{pmatrix}$ or if 3 correct points not joined



	Answer	Mark	Partial Marks
(a)(iii)	Image at (6, 3), (6, 4), (4, 3)	3	B2 for correct size and orientation but wrong position or if 3 correct points not joined B1 for enlargement SF $\frac{1}{2}$ with centre (3, 1)
(b)	Rotation 90° [anticlockwise] oe (-6, -2)	3	B1 for each
(c)	Reflection $y = -x$ oe	2	B1 for each

40. 0580\_w18\_ms\_41 Q: 2

	Answer	Mark	Partial Marks
(a)(i)	Translation $\begin{pmatrix} 5 \\ 8 \end{pmatrix}$	2	B1 for each Accept 5 right and 8 up
(a)(ii)	Enlargement [sf] 0.5 oe [centre] (0, -7)	3	B1 for each
(a)(iii)	Rotation 90 [anticlockwise] oe Origin oe	3	B1 for each
(b)	Image at (-8, 1) (-8, 5) (-8, 7) (-4, 1)	2	B1 for reflection of flag $A$ in the line $x = -1$ or $y = k$ or for vertices of triangle in correct place but not joined

Paper Perfection, Crafted With Passion

	Answer	Mark	Partial Marks
(a)	Rotation 90 <sup>[o]</sup> clockwise oe Origin oe	3	B1 for each
(b)(i)	Image at $(-4, -1)$ $(-4, -4)$ $(-2, -4)$	1	
(b)(ii)	Image at $(3, -1)$ $(5, -1)$ $(3, -4)$	2	B1 for translation by $\begin{pmatrix} 7 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$ or for 3 correct points not joined
(b)(iii)	Image at $(-2, \frac{1}{2})$ $(-2, 2)$ $(-1, 2)$	3	B2 for 3 correct co-ordinates soi in working or correct size and orientation in wrong position or M1 for $\begin{pmatrix} 0.5 & 0 \\ 0 & 0.5 \end{pmatrix} \begin{pmatrix} -4 & -4 & -2 \\ 1 & 4 & 4 \end{pmatrix}$ shown or for statement: enlargement, sf 0.5, (0, 0)

42. 0580\_w18\_ms\_42 Q: 11

	Answer	Mark	Partial Marks
(a)(i)	$\begin{pmatrix} -19 \\ -2 \end{pmatrix}$	2	<b>B1</b> for answer $\begin{pmatrix} -19 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$ or for $\begin{pmatrix} -9 \\ 6 \end{pmatrix}$ or $\pm \begin{pmatrix} 10 \\ 8 \end{pmatrix}$ seen
(a)(ii)	3.61 or 3.605 to 3.606	2	<b>M1</b> for $\sqrt{([-]3)^2 + 2^2}$ oe
(a)(iii)	$-3m + 5n = 14$ and $2m + 4n = 9$	<b>B1</b>	Accept equivalents
	$[m =] -\frac{1}{2}$ or $-0.5$ and $[n =] 2\frac{1}{2}$ or $2.5$ or $\frac{5}{2}$ with evidence of a correct algebraic method	4	<b>M1</b> for correctly equating one set of coefficients of <i>their</i> equations or rearranges one of <i>their</i> equations to make <i>m</i> or <i>n</i> the subject e.g. $[m =] \frac{1}{2}(9 - 4n)$ oe  <b>M1</b> for correct method to eliminate one variable for <i>their</i> equations or correctly substitutes <i>their m</i> or <i>their n</i> into the other equation e.g. $-\frac{3(9 - 4n)}{2} + 5n = 14$ oe <b>B1</b> for one correct answer
(b)(i)(a)	$-a + 2c$	1	
(b)(i)(b)	$\frac{3}{8}(-a + 2c)$ or $-\frac{3}{8}a + \frac{3}{4}c$ oe	1	<b>FT</b> $\frac{3}{8}$ ( <i>their (b)(i)(a)</i> ) in simplest form

	Answer	Mark	Partial Marks
(b)(i)(c)	$\frac{1}{2}(5a - 2c)$ or $\frac{5}{2}a - c$ oe	1	
(b)(i)(d)	$\frac{1}{8}(5a - 2c)$ or $\frac{5}{8}a - \frac{1}{4}c$ oe	2	<b>M1</b> for a correct unsimplified route
(b)(ii)	4	1	

	Answer	Mark	Partial Marks
(a)(i)	Reflection $y = -1$	2	B1 for each
(a)(ii)	Triangle at (0, -3), (4, -1), (4, -3)	2	B1 for translation $\begin{pmatrix} -2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$ or for three correct vertices
(a)(iii)	Triangle at (-2, 2), (-2, 6), (-4, 6)	2	B1 for rotation about (0, 0) 90° clockwise or 90° anticlockwise with wrong centre or for three correct vertices
(a)(iv)	Triangle at (-3, -1), (-3, -2), (-1, -1)	2	B1 for scale factor $-\frac{1}{2}$ with wrong centre or scale factor $\frac{1}{2}$ with centre (0, 0) or for three correct vertices
(b)(i)	$\begin{pmatrix} 2 \\ 4 \end{pmatrix}$ cao	1	
(b)(ii)	4.47 or 4.472...	2	M1 for $(their\ 2)^2 + (their\ 4)^2$
(b)(iii)	(7, 10)	2	B1 for each
(b)(iv)	$y = 2x - 4$ oe	3	M1 for gradient = $\frac{6-2}{5-3}$ oe or answer $y = mx - 4$ M1 for substituting (3, 2) or (5, 6) into $y = their\ mx + c$ or into $y - k = their\ m(x - h)$ or into $their\ y = mx - 4$
(b)(v)	(0, -4)	1	FT <i>their</i> (b)(iv)

44. 0580\_m17\_ms\_42 Q: 2

	ANSWER	MARK	PARTIAL MARKS
(a) (i)	Rotation	1	
	$90^\circ$ [anticlockwise] oe	1	
	(9, 5)	1	
	(ii) Translation	1	
	$\begin{pmatrix} -8 \\ -14 \end{pmatrix}$ oe	1	
	(iii) Enlargement	1	
(b) (i)	[sf] $\frac{1}{3}$	1	<b>M1</b> for triangle correct size and orientation, wrong position or <b>SC1</b> for correct reflection in $y = -x$
	(-8, -2)	1	
	Image at (1, -3) (2, -3) (2, -5)	2	
	(ii) $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$	2	
			<b>B1</b> for 1 correct column or row

	ANSWER	MARK	PARTIAL MARKS
(a)(i)	Translation	1	
	$\begin{pmatrix} 3 \\ -13 \end{pmatrix}$ oe	1	
(a)(ii)	Enlargement	1	
	[sf] $-\frac{1}{2}$ oe	1	
	( 0, -4 )	1	
(b)	Image at ( 0, 0 ) ( 0, 6 ) ( -4, 6 ) ( -4, 2 )	2	<b>B1</b> for rotation of 90° anticlockwise about the wrong centre or 90° clockwise about ( 3, -1 ) or 4 points correct but not joined.
(c)	Image at ( 4, 0 ) ( 10, 0 ) ( 10, -4 ) ( 6, -4 )	2	<b>B1</b> for reflection in $y = k$ or in $x = 1$ or 4 points correct but not joined
(d)	Enlargement	1	
	[sf] 3	1	
	Origin oe	1	

46. 0580\_w17\_ms\_42 Q: 4

	ANSWER	MARK	PARTIAL MARKS
(a)(i)	Correct translation	2	<b>B1</b> for translation $\begin{pmatrix} 6 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$
(a)(ii)	Correct rotation	2	<b>B1</b> for rotation $180^\circ$ but other centre
(a)(iii)	Correct reflection	2	<b>B1</b> for reflection in $y = -x$
(b)(i)	Enlargement [factor] $\frac{1}{2}$ or 0.5 [centre] (0, 0) oe	3	<b>B1</b> for each
(b)(ii)	$\begin{pmatrix} \frac{1}{2} & 0 \\ 0 & \frac{1}{2} \end{pmatrix}$ oe	2	<b>B1</b> for matrix of form $\begin{pmatrix} k & 0 \\ 0 & k \end{pmatrix}$ oe, $k \neq 0$ or 1
(c)	$\pm 2.5$	3	<b>B2</b> for $25u^2 = 156.25$ or $5u = [\pm]12.5$ or <b>M1</b> for $(4u)^2 + (3u)^2$

	ANSWER	MARK	PARTIAL MARKS
(a)(i)	Image at (0, 1), (0, 2), (-3, 1)	2	<b>B1</b> for reflection in $y = 0$ or $x = k$
(a)(ii)	Image at (0, 0), (0, -2), (6, -2)	2	<b>B1</b> for correct size and correct orientation wrong position or for 2 correct vertices plotted
(a)(iii)	Image at (-5, 4), (-5, 5), (-2, 4)	2	<b>B1</b> for translation by $\begin{pmatrix} -5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$
(b)	Rotation 90° clockwise oe (4, -1)	3	<b>B1</b> for each
(c)(i)	(4, 1)	2	<b>M1</b> for $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 1 \\ -4 \end{pmatrix}$
(c)(ii)	(8, -1)	2	<b>M1</b> for $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 3 & 1 \\ 0 & 2 \end{pmatrix} \begin{pmatrix} 1 \\ -4 \end{pmatrix}$ or $\begin{pmatrix} 0 & -2 \\ 3 & 1 \end{pmatrix} \begin{pmatrix} 1 \\ -4 \end{pmatrix}$ or $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} -1 \\ -8 \end{pmatrix}$
(c)(iii)	Rotation 90° anti-clockwise oe Origin oe	3	<b>B1</b> for each