

01. 0607\_m23\_ms\_22 Q: 6

| Question | Answer | Marks | Partial Marks                 |
|----------|--------|-------|-------------------------------|
|          | 2      | 2     | M1 for $5x - 3x = -6 + 10$ oe |

02. 0607\_m23\_ms\_22 Q: 7

| Question | Answer                  | Marks | Partial Marks          |
|----------|-------------------------|-------|------------------------|
|          | $x \geq 3$ final answer | 2     | M1 for $4x \geq 9 + 3$ |

03. 0607\_m23\_ms\_22 Q: 11

| Question | Answer                  | Marks | Partial Marks   |
|----------|-------------------------|-------|---|
|          | $[x =] 2$<br>$[y =] -1$ | 3     | M1 for correct method to eliminate one variable<br>A1 for each<br>If 0 scored SC1 for answers that satisfy one equation |

04. 0607\_m23\_ms\_22 Q: 12

| Question | Answer                      | Marks | Partial Marks  |
|----------|-----------------------------|-------|--|
|          | $16x^2 - 9y^2$ final answer | 2     | M1 for 3 terms correct of $16x^2 + 12xy - 12xy - 9y^2$ |

05. 0607\_m23\_ms\_22 Q: 14

| Question | Answer                    | Marks | Partial Marks   |
|----------|---------------------------|-------|---|
|          | $x = \frac{3y}{(A-3)}$ oe | 3     | M1 for correct elimination of fractions<br>M1 for correct collection of terms<br>M1 for correct division of equation of form $(p+k)x = q$<br>Only scores 3/3 for a correct answer |

06. 0607\_m23\_ms\_22 Q: 15

| Question | Answer                | Marks | Partial Marks  |
|----------|-----------------------|-------|--|
|          | $(5x + 4y)(x - y)$ oe | 2     | M1 for $(ax + b)(cx + d)$ with two of $ac = 5$ , $bd = -4$ , $ad + bc = -1$ or $5x(x - y) + 4y(x - y)$ |

07. 0607\_s23\_ms\_21 Q: 2

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | 2      | 2     | M1 for $7 + 3 = 5x$ or $-5x = -3 - 7$ or $\frac{7}{5} - x = \frac{3}{5}$ |

08. 0607\_s23\_ms\_21 Q: 4

| Question | Answer                       | Marks | Partial Marks   |
|----------|------------------------------|-------|---|
| (a)      | $p(2p - q)$ final answer     | 1     |   |
| (b)      | $p^2 - 4p - 21$ final answer | 2     | <b>B1</b> for three terms correct in $p^2 - 7p + 3p - 21$ |


09. 0607\_s23\_ms\_21 Q: 9

| Question | Answer               | Marks | Partial Marks                   |
|----------|----------------------|-------|---------------------------------|
|          | $27w^9$ final answer | 2     | <b>B1</b> for $kw^9$ or $27w^k$ |

10. 0607\_s23\_ms\_21 Q: 15

| Question | Answer  | Marks | Partial Marks  |
|----------|---|-------|--|
| (a)      | $\frac{x-7}{(x+2)(x-1)}$ final answer                       | 3     | <b>B1</b> for $3x-3-2x-4$ oe or better<br><b>B1</b> for common denominator $(x+2)(x-1)$<br>or $x^2+x-2$  |
| (b)      | $\frac{2x+3}{2a-1}$ or $\frac{-2x-3}{1-2a}$<br>final answer | 5     | <b>B2</b> for $(2x+3)(3x-4)$<br>or <b>B1</b> for $(ax+b)(cx+d)$<br>with $ac=6$ and either $bd=-12$ or $ad+bc=1$<br>or for<br>$2x(3x-4)+3(3x-4)$ or $3x(2x+3)-4(2x+3)$<br><b>B2</b> for $(2a-1)(3x-4)$<br>or <b>B1</b> for $2a(3x-4)-(3x-4)$<br>or $3x(2a-1)-4(2a-1)$ |

11. 0607\_s23\_ms\_22 Q: 3

| Question | Answer  | Marks | Partial Marks                              |
|----------|---|-------|--|
| (a)      | $x > -3$ or $-3 < x$  | 1     |  |
| (b)      | <br>Correct line with correct end oe | 1     | <b>FT</b> <i>their</i> inequality from (a) |

12. 0607\_s23\_ms\_22 Q: 11

| Question | Answer           | Marks    | Partial Marks  |
|----------|------------------|----------|--|
|          | $x = 6, y = -12$ | <b>3</b> | <b>M1</b> for correct method to eliminate one variable<br><b>B1</b> for $x = 6$<br><b>B1</b> for $y = -12$<br><br>If 0 scored, <b>SC1</b> for a pair of solutions that satisfy one equation. |

13. 0607\_s23\_ms\_23 Q: 6

| Question | Answer                    | Marks    | Partial Marks                                  |
|----------|---------------------------|----------|--|
|          | $6x^5 - 15x$ final answer | <b>2</b> | <b>M1</b> for $6x^5 \pm kx$ or $px^k - 15x$ oe |

14. 0607\_s23\_ms\_23 Q: 8

| Question | Answer     | Marks     | Partial Marks  |
|----------|------------|-----------|--|
|          | 71         | <b>B1</b> |  |
|          | $2n^2 - 1$ | <b>B2</b> | <b>M1</b> for any quadratic or 2nd differences of 4 seen |

15. 0607\_s23\_ms\_23 Q: 12

| Question | Answer                             | Marks    | Partial Marks   |
|----------|------------------------------------|----------|---|
| (a)      | $(3y - 4)(3y + 4)$ final answer    | <b>1</b> |   |
| (b)      | $(5b - 1)(3a + 1)$ oe final answer | <b>2</b> | <b>M1</b> for $5b(3a + 1) - 1 - 3a$<br>or $3a(5b - 1) + 5b - 1$ |

16. 0607\_m22\_ms\_22 Q: 11

| Question | Answer                        | Marks    | Partial Marks  |
|----------|-------------------------------|----------|--|
|          | $(1 + x)(1 - y)$ final answer | <b>2</b> | <b>B1</b> for $1 + x - y(1 + x)$ or for $1 - y + x(1 - y)$ |

17. 0607\_m22\_ms\_22 Q: 15

| Question | Answer                         | Marks    | Partial Marks                       |
|----------|--------------------------------|----------|-------------------------------------|
|          | $\frac{1}{x + 4}$ final answer | <b>2</b> | <b>B1</b> for $(x - 4)(x + 4)$ seen |


18. 0607\_m22\_ms\_22 Q: 16

| Question | Answer                     | Marks | Partial Marks   |
|----------|----------------------------|-------|---|
|          | $[g = ] -1$<br>$[h = ] -4$ | 3     | <b>B1</b> for $[g = ] -1$<br><b>M1</b> for $\left(x - \frac{1 - \sqrt{17}}{2}\right)\left(x - \frac{1 + \sqrt{17}}{2}\right)$ soi |

19. 0607\_m22\_ms\_22 Q: 17

| Question | Answer                             | Marks | Partial Marks                        |
|----------|------------------------------------|-------|--------------------------------------|
|          | $\frac{2x-1}{1+x}$ oe final answer | 2     | <b>B1</b> for $2(1+x) - 3$ or better |

20. 0607\_s22\_ms\_21 Q: 1

| Question | Answer  | Marks | Partial Marks   |
|----------|---|-------|---|
|          |  | 2     | <b>B1</b> for either correct line or correct ends<br>Two lines scores max of 1 mark |

21. 0607\_s22\_ms\_21 Q: 4

| Question | Answer                    | Marks | Partial Marks |
|----------|---------------------------|-------|---------------|
|          | $x(x^2 - 2)$ final answer | 1     |               |

22. 0607\_s22\_ms\_21 Q: 6

| Question | Answer | Marks | Partial Marks                                       |
|----------|--------|-------|---|
| (a)      | 7      | 1     |   |
| (b)      | 14     | 2     | <b>M1</b> for $a - 6 = 24 \div 3$ or $3a - 18 = 24$ |

23. 0607\_s22\_ms\_21 Q: 14

| Question | Answer                     | Marks | Partial Marks   |
|----------|----------------------------|-------|---|
|          | $[c = ] 49$<br>$[d = ] -7$ | 3     | <b>M1</b> for correct expansion of $(x + d)^2$<br><b>M1</b> for equating <i>their</i> coefficients<br>(dependent on a three term expression)<br>OR<br><b>B2</b> for $d = -7$ only<br>or <b>B1</b> for $2d = [\pm] 14$ soi<br><br>If 0 scored <b>SC1</b> for $c = (\text{their } d)^2$ |

24. 0607\_s22\_ms\_21 Q: 15

| Question | Answer   | Marks | Partial Marks   |
|----------|--|-------|---|
| (a)      | $(2x-3)(3x+1)$ final answer  | 2     | <b>M1</b> for $(ax+b)(cx+d)$ where $ac=6$<br>AND $bd=-3$ or $ad+bc=-7$<br><br>or for $2x(3x+1)-3(3x+1)$<br>or for $3x(2x-3)+(2x-3)$   |
| (b)      | $-\frac{1}{3} < x < \frac{3}{2}$ final answer<br>or<br>' $x > -\frac{1}{3}$ AND $x < \frac{3}{2}$ ', final answer<br>(must include the word AND) | 3     | <b>FT</b> their factors from (a)<br><br><b>B2</b> for ' $x > -\frac{1}{3}$ [or] $x < \frac{3}{2}$ ',<br>or <b>B1</b> for $x > -\frac{1}{3}$ or <b>B1</b> for $x < \frac{3}{2}$<br>or <b>B1</b> for $[x=]-\frac{1}{3}$ AND $[x=]\frac{3}{2}$ soi |

25. 0607\_s22\_ms\_22 Q: 3

| Question | Answer | Marks | Partial Marks |
|----------|--------|-------|---------------|
|          | 7      | 1     |               |


26. 0607\_s22\_ms\_22 Q: 9

| Question | Answer                                   | Marks     | Partial Marks   |
|----------|--|-----------|---|
|          | Correct method to eliminate one variable | <b>M1</b> | If 0 scored, <b>SC1</b> for answers that satisfy one equation |
|          | $[x=]-2$                                 | <b>A1</b> |   |
|          | $[y=]-1$                                 | <b>A1</b> |   |

27. 0607\_s22\_ms\_22 Q: 11

| Question | Answer                      | Marks | Partial Marks  |
|----------|-----------------------------|-------|--|
|          | $-\frac{2}{3}, \frac{3}{2}$ | 3     | <b>M2</b> for $(3x+2)(2x-3)$<br>or <b>M1</b> for $(ax+b)(cx+d)$ with two of $ac=6$ , $bd=-6$ , $ad+bc=-5$<br><br>OR<br><br><b>M2</b> for correct use of formula<br>or <b>M1</b> for one error in substituting into formula |

28. 0607\_s22\_ms\_23 Q: 3

| Question | Answer  | Marks | Partial Marks                              |
|----------|---|-------|--|
|          |  <p>Correct line<br/>Correctly marked ends</p> | 2     | <b>B1</b> for correct line or correct ends |

29. 0607\_s22\_ms\_23 Q: 5

| Question | Answer                | Marks | Partial Marks |
|----------|-----------------------|-------|---------------|
|          | $6x - 3$ final answer | 1     |               |

30. 0607\_s22\_ms\_23 Q: 8

| Question | Answer                          | Marks | Partial Marks   |
|----------|---------------------------------|-------|---|
|          | $(cx - d)(2x - 1)$ final answer | 2     | <b>B1</b> for 2 pairs factorised<br>e.g. $cx(2x - 1) - d(2x - 1)$<br>or $2x(cx - d) - (cx - d)$ |

31. 0607\_w22\_ms\_21 Q: 3

| Question | Answer                 | Marks | Partial Marks |
|----------|------------------------|-------|---------------|
|          | $3x - 6y$ final answer | 1     |               |

32. 0607\_w22\_ms\_21 Q: 8

| Question | Answer                        | Marks | Partial Marks                      |
|----------|-------------------------------|-------|------------------------------------|
| (a)      | $6n - 5$ oe final answer      | 2     | <b>M1</b> for $6n + k$ or $kn - 5$ |
| (b)      | $(-1)^{n+1}n$ oe final answer | 2     | <b>B1</b> for $(-1)^k$ oe          |

33. 0607\_w22\_ms\_21 Q: 11

| Question | Answer               | Marks | Partial Marks  |
|----------|----------------------|-------|--|
| (a)      | $2, -\frac{3}{4}$ oe | 3     | <b>M2</b> for $(4x + 3)(x - 2)$<br>or <b>M1</b> for $(ax + b)(cx + d)$ where $ac = 4$ and $bd = -6$<br>OR<br><b>M2</b> for $\frac{5 \pm 11}{8}$<br>or <b>M1</b> for $\frac{-(-5) \pm \sqrt{(-5)^2 - 4 \times 4 \times (-6)}}{2 \times 4}$ condone 1 slip |

| Question | Answer | Marks | Partial Marks |
|----------|--------|-------|---------------|
| (b)      | -2, 1  | 2     | B1 for each   |

34. 0607\_w22\_ms\_22 Q: 3

| Question | Answer | Marks | Partial Marks               |
|----------|--------|-------|-----------------------------|
|          | 35     | 2     | B1 for two of 10, +16 or +9 |

35. 0607\_w22\_ms\_22 Q: 6

| Question | Answer  | Marks | Partial Marks   |
|----------|---|-------|---|
|          | $x < \frac{16}{3}$ or $x < 5\frac{1}{3}$ final answer | 2     | B1 for $x * \frac{16}{3}$ where * is =, >, ≤ or ≥<br><br>OR<br>M1 for $6 + 10 > 5x - 2x$ oe |

36. 0607\_w22\_ms\_22 Q: 11

| Question | Answer                          | Marks | Partial Marks                               |
|----------|---------------------------------|-------|---|
|          | $\frac{ax+b}{x-5}$ final answer | 3     | B1 for $(ax+b)(x+5)$<br>B1 for $(x+5)(x-5)$ |

37. 0607\_w22\_ms\_23 Q: 2

| Question | Answer | Marks | Partial Marks               |
|----------|--------|-------|-----------------------------|
|          | 1      | 2     | M1 for $2q + 7q = 2 + 7$ oe |

38. 0607\_w22\_ms\_23 Q: 7

| Question | Answer    | Marks | Partial Marks              |
|----------|-----------|-------|----------------------------|
|          | $6t^{25}$ | 2     | B1 for $kt^{25}$ or $6t^k$ |

39. 0607\_w22\_ms\_23 Q: 13

| Question | Answer                      | Marks | Partial Marks |
|----------|-----------------------------|-------|---------------|
| (a)      | $(7+4u)(7-4u)$ final answer | 1     |               |

| Question | Answer                      | Marks | Partial Marks                                       |
|----------|-----------------------------|-------|---|
| (b)      | $(1-2x)(1-2y)$ final answer | 2     | <b>M1</b> for $1-2y-2x(1-2y)$<br>or $1-2x-2y(1-2x)$ |

40. 0607\_w22\_ms\_23 Q: 17

| Question | Answer                          | Marks | Partial Marks  |
|----------|---------------------------------|-------|--|
|          | $\frac{5x-8}{x-2}$ final answer | 3     | <b>B1</b> for common denominator $x-2$<br><b>M1</b> for $2(x-2)-(4-3x)$ or better seen |

41. 0607\_m21\_ms\_22 Q: 8

| Question | Answer                | Marks | Partial Marks   |
|----------|-----------------------|-------|---|
|          | $17a+2b$ final answer | 2     | <b>B1</b> for answer $17a+kb$ or $ka+2b$ $k \neq 0$<br>or <b>M1</b> for $8a+20b$ or $-18b+9a$ |

42. 0607\_m21\_ms\_22 Q: 11

| Question | Answer             | Marks | Partial Marks   |
|----------|--------------------|-------|---|
|          | $-13$<br>$37-2n^2$ | 3     | <b>B1</b> for $-13$<br><b>M1</b> for any quadratic expression or common second differences of 4 |

43. 0607\_m21\_ms\_22 Q: 14

| Question | Answer   | Marks | Partial Marks  |
|----------|--|-------|--|
|          | $\frac{5a^2-3a+4}{2a(a+4)}$ or $\frac{5a^2-3a+4}{2a^2+8a}$<br>final answer | 3     | <b>M1</b> for denominator $2a(a+4)$<br><b>B1</b> for $3a \times 2a - (a-1)(a+4)$ or better |

44. 0607\_s21\_ms\_21 Q: 7

| Question | Answer                       | Marks | Partial Marks  |
|----------|------------------------------|-------|--|
| (a)      | $(3a-2b)(4x+y)$ final answer | 2     | <b>M1</b> for $3a(4x+y)-2b(y+4x)$<br>or $4x(3a-2b)-y(2b-3a)$ oe  |
| (b)      | $(5x+4)(x-2)$ final answer   | 2     | <b>M1</b> for $(5x+a)(x+b)$ where $ab=-8$ or<br>$a+5b=-6$<br>or for $x(5x+4)-2(5x+4)$<br>or for $5x(x-2)+4(x-2)$ |

45. 0607\_s21\_ms\_22 Q: 6

| Question | Answer                        | Marks | Partial Marks  |
|----------|-------------------------------|-------|--|
| (a)      | $(a + b)(a - b)$ final answer | 1     |  |
| (b)      | 7.4                           | 2     | <b>M1</b> for $(5.37 + 4.63)(5.37 - 4.63)$ or better |

46. 0607\_s21\_ms\_22 Q: 7

| Question | Answer  | Marks | Partial Marks  |
|----------|---------|-------|--|
|          | $x > 5$ | 2     | <b>M1</b> for $3 + 12 < 5x - 2x$ oe<br>If 0 scored, <b>SC1</b> for $x * 5$ . |

47. 0607\_s21\_ms\_22 Q: 16

| Question | Answer                        | Marks | Partial Marks   |
|----------|-------------------------------|-------|---|
|          | $\frac{xy}{x+1}$ final answer | 3     | <b>B1</b> for $xy(x - 3)$<br><b>B1</b> for $(x - 3)(x + 1)$ |

48. 0607\_s21\_ms\_23 Q: 11

| Question | Answer       | Marks | Partial Marks   |
|----------|--------------|-------|---|
| (a)      | 256          | 1     |   |
| (b)      | $4^{n-2}$ oe | 2     | <b>M1</b> for $4^{n+k}, k \neq 0$ or $2^{2n+k}, k \neq 0$ |

49. 0607\_s21\_ms\_23 Q: 12

| Question | Answer       | Marks | Partial Marks                                 |
|----------|--------------|-------|---|
|          | $(1+a)(1-c)$ | 2     | <b>M1</b> for $1+a-c(1+a)$<br>or $1-c+a(1-c)$ |

50. 0607\_s21\_ms\_23 Q: 19

| Question | Answer                          | Marks | Partial Marks                |
|----------|---------------------------------|-------|------------------------------|
|          | $\frac{7-2x}{x-2}$ final answer | 2     | <b>B1</b> for $3 - 2(x - 2)$ |

51. 0607\_w21\_ms\_21 Q: 5

| Question | Answer            | Marks | Partial Marks  |
|----------|-------------------|-------|--|
|          | $2\frac{1}{2}$ oe | 3     | <b>M1</b> for $8x - 2 = 6x + 3$<br><b>M1FT</b> for $8x - 6x = 3 + 2$ |

52. 0607\_w21\_ms\_21 Q: 8

| Question | Answer                             | Marks     | Partial Marks   |
|----------|------------------------------------|-----------|---|
|          | Correctly eliminating one variable | <b>M1</b> |   |
|          | $x = 2$<br>$y = -3$                | <b>A2</b> | <b>A1</b> for each<br>If 0 scored, <b>SC1</b> for correct substitution and evaluation to find other variable. |

53. 0607\_w21\_ms\_22 Q: 4

| Question | Answer          | Marks    | Partial Marks |
|----------|-----------------|----------|---------------|
|          | $-3 < x \leq 2$ | <b>1</b> |               |

54. 0607\_w21\_ms\_22 Q: 6

| Question | Answer   | Marks    | Partial Marks |
|----------|----------|----------|---------------|
|          | -1, 0, 1 | <b>1</b> |               |

55. 0607\_w21\_ms\_22 Q: 15

| Question | Answer | Marks    | Partial Marks  |
|----------|--------|----------|--|
|          | 2.6 oe | <b>3</b> | <b>B2</b> for $16 - 3 = 3x + 2x$ or better<br>or <b>M1</b> for $2(8 - x) = 3(x + 1)$ |

56. 0607\_w21\_ms\_22 Q: 16

| Question | Answer                         | Marks    | Partial Marks  |
|----------|--------------------------------|----------|--|
|          | $(x + 2)(3 - 2y)$ final answer | <b>2</b> | <b>B1</b> for $3(x + 2) - 2y(x + 2)$<br>or $x(3 - 2y) + 2(3 - 2y)$ |

57. 0607\_w21\_ms\_22 Q: 18

| Question | Answer                          | Marks    | Partial Marks  |
|----------|---------------------------------|----------|--|
|          | $\frac{w-3}{2w-1}$ final answer | <b>4</b> | <b>B1</b> for $(w - 3)(w + 3)$<br><b>B2</b> for $(w + 3)(2w - 1)$<br>or <b>B1</b> for $(w + a)(2w + b)$<br>where $ab = -3$ or $2a + b = 5$<br>or $2w(w + 3) - (w + 3)$<br>or $w(2w - 1) + 3(2w - 1)$ |

58. 0607\_w21\_ms\_23 Q: 4

| Question | Answer | Marks | Partial Marks                                  |
|----------|--------|-------|--|
| (a)      | 2.5 oe | 1     |  |
| (b)      | -3     | 2     | <b>M1</b> for $-12 + 3 = 5x - 2x$ oe or better |

59. 0607\_w21\_ms\_23 Q: 9

| Question | Answer                      | Marks | Partial Marks  |
|----------|-----------------------------|-------|--|
|          | $-24x^2 + 16x$ final answer | 2     | <b>B1</b> for $-24x^2 + kx$ or $kx^2 + 16x$ as answer or <b>M1</b> for $10x - 15x^2$ or $-9x^2 + 6x$ |

60. 0607\_w21\_ms\_23 Q: 10

| Question | Answer                                     | Marks     | Partial Marks   |
|----------|--|-----------|---|
|          | Correctly equating one set of coefficients | <b>M1</b> |   |
|          | Correct method to eliminate one variable   | <b>M1</b> |   |
|          | $[x =] -1$                                 | <b>A1</b> |   |
|          | $[y =] -2$                                 | <b>A1</b> | If 0 scored, <b>SC1</b> for answers that satisfy one equation |

61. 0607\_w21\_ms\_23 Q: 12

| Question | Answer                                | Marks | Partial Marks   |
|----------|---------------------------------------|-------|---|
|          | $[a =] -24$<br>$[b =] 4$<br>$[c =] 9$ | 4     | <b>B1</b> for $(2x+3)(2x-3)$ or better as denominator<br><b>M1</b> for $(2x-3)^2 - (2x+3)^2$ seen<br><b>B1</b> for $4x^2 - 12x + 9$ or $4x^2 + 12x + 9$ or $4x^2 - 9$ or $4x \times -6$ |

62. 0607\_s20\_ms\_21 Q: 7

| Question | Answer    | Marks | Partial Marks                     |
|----------|-----------|-------|-----------------------------------|
| (a)      | $5w^{12}$ | 2     | <b>B1</b> for $kw^{12}$ or $5w^k$ |
| (b)      | $25y^4$   | 2     | <b>B1</b> for $ky^4$ or $25y^k$   |

63. 0607\_s20\_ms\_21 Q: 15

| Question | Answer                        | Marks | Partial Marks   |
|----------|-------------------------------|-------|---|
|          | $\frac{1}{p-2t}$ final answer | 3     | <b>B2</b> for $(p-2t)(3-a)$<br>or <b>B1</b> for $3(p-2t)-a(p-2t)$ or for $p(3-a)-2t(3-a)$ |

64. 0607\_s20\_ms\_21 Q: 16

| Question | Answer                               | Marks | Partial Marks   |
|----------|--------------------------------------|-------|---|
|          | $\frac{6-x}{x(x-3)}$ oe final answer | 3     | <b>B1</b> for $x-2(x-3)$ or better<br><b>M1</b> for common denominator $x(x-3)$<br>oe |

65. 0607\_s20\_ms\_22 Q: 5

| Question | Answer | Marks | Partial Marks   |
|----------|--------|-------|---|
|          | 0.65   | 3     | <b>M2</b> for $\frac{8.10-5 \times 1.1}{4}$ oe<br>or <b>M1</b> for $5 \times 1.1$ |

66. 0607\_s20\_ms\_22 Q: 8

| Question | Answer                | Marks | Partial Marks  |
|----------|-----------------------|-------|--|
|          | $[x=] 3$<br>$[y=] -5$ | 3     | <b>M1</b> for correct method to eliminate one variable<br><b>B1</b> for each<br>If 0 scored, <b>SC1</b> for <i>their</i> answers satisfying one equation |

67. 0607\_s20\_ms\_22 Q: 12

| Question | Answer        | Marks | Partial Marks   |
|----------|---------------|-------|---|
|          | $(2x-5)(x+1)$ | 2     | <b>M1</b> for $(2x+a)(x+b)$<br>where $ab = -5$ or $a+2b = -3$ |

68. 0607\_s20\_ms\_22 Q: 13

| Question | Answer          | Marks | Partial Marks      |
|----------|-----------------|-------|--------------------|
|          | $x > 4, x < -3$ | 2     | <b>B1</b> for each |

69. 0607\_s20\_ms\_23 Q: 3

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | $a^4$  | 2     | <b>B1</b> for $a^7$ or $a^{-1} \times a^5$ or $a^2 \times a^2$ |

70. 0607\_s20\_ms\_23 Q: 5

| Question | Answer      | Marks | Partial Marks  |
|----------|-------------|-------|--|
|          | $x \geq -3$ | 3     | <b>B2</b> for $x * -3$ where * is = or < or > or $\leq$<br>or <b>M1</b> for $9 - 2x \leq 5x + 30$<br><b>M1FT</b> for correctly isolating terms |

71. 0607\_s20\_ms\_23 Q: 10

| Question | Answer          | Marks | Partial Marks   |
|----------|-----------------|-------|---|
|          | $x = -2, y = 3$ | 3     | <b>M1</b> for correct equation in $x$ or equalising coefficients of $x$ or $y$ and adding / subtracting appropriately.<br><b>B1</b> for one correct solution<br>If 0 scored, <b>SC1</b> for a correct substitution and evaluation of the other variable |

72. 0607\_s20\_ms\_23 Q: 12

| Question | Answer             | Marks | Partial Marks   |
|----------|--------------------|-------|---|
| (a)      | $2xy(2x - 3y)$     | 2     | <b>B1</b> for any correct partially factorised expression |
| (b)      | $(3x + 1)(3x - 1)$ | 1     |   |

73. 0607\_w20\_ms\_21 Q: 3

| Question | Answer        | Marks | Partial Marks                        |
|----------|---------------|-------|--------------------------------------|
|          | $\frac{1}{9}$ | 2     | <b>M1</b> for an equivalent fraction |

74. 0607\_w20\_ms\_21 Q: 4

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | 1      | 3     | <b>M2</b> for $12x = 9 + 3$ or $4x - 1 = 3$ oe<br>or <b>M1</b> for $-3 + 12x$ or $-[1](1 - 4x) = 3$ oe |

75. 0607\_w20\_ms\_21 Q: 10

| Question | Answer               | Marks | Partial Marks   |
|----------|----------------------|-------|---|
| (a)      | $2(4x + 7)$          | 1     |   |
| (b)      | $2x^2(4a - 3bx)$     | 2     | <b>M1</b> for a correct partial factorisation<br>e.g. $2(4ax^2 - 3bx^3)$ or $x(8ax - 6bx^2)$ or<br>$x^2(8a - 6bx)$ or $2x(4ax - 3bx^2)$ |
| (c)      | $(2x + 3y)(3a - 4b)$ | 2     | <b>M1</b> for $3a(2x + 3y) - 4b(3y + 2x)$<br>or $2x(3a - 4b) + 3y(3a - 4b)$   |

76. 0607\_w20\_ms\_22 Q: 3

| Question | Answer       | Marks | Partial Marks                       |
|----------|--------------|-------|-------------------------------------|
| (a)      | -5           | 1     |                                     |
| (b)      | $35 - 8n$ oe | 2     | <b>B1</b> for $k - 8n$ or $35 - kn$ |

77. 0607\_w20\_ms\_22 Q: 10

| Question | Answer              | Marks | Partial Marks   |
|----------|---------------------|-------|---|
| (a)      | $(x - 3)(x + 2)$    | 2     | <b>B1</b> for $(x + a)(x + b)$ where $ab = -6$<br>or $a + b = -1$<br>or <b>B1</b> for $x(x + 2) - 3(x + 2)$<br>or $x(x - 3) + 2(x - 3)$ |
| (b)      | $(x - 2y)(3a + 2b)$ | 2     | <b>B1</b> for $x(3a + 2b) - 2y(3a + 2b)$ oe<br>or $3a(x - 2y) + 2b(x - 2y)$ oe  |

78. 0607\_w20\_ms\_23 Q: 2

| Question | Answer | Marks | Partial Marks   |
|----------|--------|-------|---|
|          | 2      | 2     | <b>M1</b> for $2x = -3 + 7$ or $-7 + 3 = -2x$ or better |

79. 0607\_w20\_ms\_23 Q: 4

| Question | Answer      | Marks | Partial Marks                       |
|----------|-------------|-------|-------------------------------------|
|          | -1, 0, 1, 2 | 2     | <b>B1</b> for one error or omission |

80. 0607\_w20\_ms\_23 Q: 5

| Question | Answer                               | Marks | Partial Marks   |
|----------|--------------------------------------|-------|---|
|          | $[p =] 3$<br>$[q =] -\frac{1}{3}$ oe | 2     | <b>B1</b> each<br>If 0 scored <b>SC1</b> for correct substitution and<br>evaluation of the other variable |

81. 0607\_w20\_ms\_23 Q: 9

| Question | Answer  | Marks | Partial Marks                   |
|----------|---------|-------|---------------------------------|
|          | $20x^9$ | 2     | <b>B1</b> for $kx^9$ or $20x^k$ |

82. 0607\_w20\_ms\_23 Q: 13

| Question | Answer                    | Marks | Partial Marks   |
|----------|---------------------------|-------|---|
|          | $[p =] 30$<br>$[q =] -12$ | 3     | <b>B2</b> for either<br>or <b>B1</b> for $12 - 6\sqrt{6} - 6\sqrt{6} + 18$ oe |

83. 0607\_w20\_ms\_23 Q: 17

| Question | Answer            | Marks | Partial Marks   |
|----------|-------------------|-------|---|
|          | $\frac{3-a}{x^2}$ | 4     | <b>B2</b> for $(x-2y)(3-a)$<br>or <b>B1</b> for $x(3-a) - 2y(3-a)$ or<br>$3(x-2y) - a(x-2y)$<br><b>B1</b> for $x^2(x-2y)$ |

84. 0607\_s19\_ms\_21 Q: 4

| Question | Answer                  | Marks | Partial Marks  |
|----------|-------------------------|-------|--|
|          | $9x + 10y$ final answer | 2     | <b>B1</b> for $12x + 4y - 3x + 6y$<br>or $ax + 10y$ , $a \neq 0$ or $9x + by$ , $b \neq 0$ |

85. 0607\_s19\_ms\_21 Q: 6

| Question | Answer                | Marks | Partial Marks  |
|----------|-----------------------|-------|--|
| (a)      | $-1, 0, 1, 2, 3$      | 2     | <b>B1</b> for 5 correct and 1 extra<br>or 3 or 4 correct with no errors<br>or <b>M1</b> for $-1 \leq x < 4$                  |
| (b)      | $x < -4$ final answer | 2     | <b>M1</b> for $2 - 14 > 5x - 2x$ oe<br><br>If 0 scored, <b>SC1</b> for $x = -4$ or $x > -4$<br>or $x \leq -4$ or $x \geq -4$ |

86. 0607\_s19\_ms\_21 Q: 9

| Question | Answer                     | Marks | Partial Marks   |
|----------|----------------------------|-------|---|
|          | $2(x+3)(x-3)$ final answer | 2     | <b>B1</b> for $2(x^2 - 9)$ or $(2x+6)(x-3)$<br>or $(x+3)(2x-6)$ in working or answer<br>space |

87. 0607\_s19\_ms\_22 Q: 8

| Question | Answer                    | Marks | Partial Marks  |
|----------|---------------------------|-------|--|
|          | $[a = ] 11$<br>$[b = ] 5$ | 2     | <b>B1</b> for each<br>If 0 scored, <b>SC1</b> for <i>their</i> values of $a$ and $b$ satisfying one equation |

88. 0607\_s19\_ms\_22 Q: 12

| Question | Answer       | Marks | Partial Marks   |
|----------|--------------|-------|---|
|          | $(b-1)(a-1)$ | 2     | <b>M1</b> for $a(b-1) - (b-1)$ or for $b(a-1) - (a-1)$ or for either factor correct |

89. 0607\_s19\_ms\_22 Q: 18

| Question | Answer                       | Marks | Partial Marks  |
|----------|------------------------------|-------|--|
|          | $\frac{y-3}{x}$ final answer | 3     | <b>B1</b> for $(y-3)(y+3)$<br><b>B1</b> for $x(y+3)$ |

90. 0607\_s19\_ms\_23 Q: 4

| Question | Answer | Marks | Partial Marks                   |
|----------|--------|-------|---------------------------------|
|          | 1      | 2     | <b>M1</b> for $6x - 2 + 3 - 6x$ |

91. 0607\_s19\_ms\_23 Q: 14

| Question | Answer           | Marks | Partial Marks   |
|----------|------------------|-------|---|
|          | $(3c-4d)(2a-3b)$ | 2     | <b>M1</b> for either factor correct<br>or <b>M1</b> for $3c(2a-3b) - 4d(2a-3b)$ or<br>$2a(3c-4d) - 3b(3c-4d)$ |

92. 0607\_w19\_ms\_21 Q: 6

| Question | Answer       | Marks | Partial Marks       |
|----------|--------------|-------|---------------------|
|          | $3^{n+1}$ oe | 2     | <b>B1</b> for $3^k$ |

93. 0607\_w19\_ms\_21 Q: 10

| Question | Answer                              | Marks | Partial Marks   |
|----------|-------------------------------------|-------|---|
|          | $-\frac{1}{2}$ oe, $\frac{5}{2}$ oe | 3     | <b>B2</b> for $(2w+1)(2w-5)$<br><b>B1</b> for $(aw+b)(cw+d)$ with two correct<br>from $ac = 4$ , $bd = -5$ , $ad + bc = -8$ |

94. 0607\_w19\_ms\_21 Q: 17

| Question | Answer                            | Marks | Partial Marks  |
|----------|-----------------------------------|-------|--|
|          | $\frac{b-c}{a-2}$ oe final answer | 4     | <b>B2</b> for $(b-c)(a+2)$<br>or <b>B1</b> for $b(a+2) - c(a+2)$ or<br>$a(b-c) + 2(b-c)$<br><b>B1</b> for $(a-2)(a+2)$ |

95. 0607\_w19\_ms\_22 Q: 11

| Question | Answer          | Marks | Partial Marks  |
|----------|-----------------|-------|--|
|          | $2(2x-3)(2x+3)$ | 2     | <b>M1</b> for $2(4x^2-9)$ or $(4x-6)(2x+3)$ or<br>$(2x-3)(4x+6)$ |

96. 0607\_w19\_ms\_23 Q: 5

| Question | Answer             | Marks | Partial Marks  |
|----------|--------------------|-------|--|
| (a)      | $(x+1)(x-1)$       | 1     |  |
| (b)      | $(3x-ay)(x-2a)$ oe | 2     | <b>B1</b> for $3x(x-2a)$ or $-ay(x-2a)$ or $ay(2a-x)$<br>or $x(3x-ay)$ or $2a(-3x+ay)$ or $-2a(3x-ay)$ |

97. 0607\_w19\_ms\_23 Q: 9

| Question | Answer   | Marks | Partial Marks  |
|----------|--|-------|--|
| (a)      | $x < -2$   | 2     | <b>B1</b> for $x =$ or $\leq$ or $\geq -2$<br>or <b>M1</b> for $-2 - 6 > 7x - 3x$ oe |
| (b)      | Line arrow from $-2$ to left with empty circle at $-2$ | 1     | <b>FT</b> from <i>their</i> inequality in (a)  |

98. 0607\_w19\_ms\_23 Q: 11

| Question | Answer            | Marks | Partial Marks  |
|----------|-------------------|-------|--|
|          | $67 + 42\sqrt{2}$ | 3     | <b>B2</b> for $a + 42\sqrt{2}$ or $67 + b\sqrt{2}$<br>or <b>M1</b> for $3\sqrt{2} \times 3\sqrt{2} + 21\sqrt{2} + 21\sqrt{2} + 49$ or better |

99. 0607\_s18\_ms\_21 Q: 3

| Question | Answer                    | Marks | Partial Marks   |
|----------|---------------------------|-------|---|
|          | $[x = ] 1$<br>$[y = ] -2$ | 2     | <b>B1</b> for each<br>If 0 scored <b>SC1</b> for correct substitution and evaluation to find the other variable |

100. 0607\_s18\_ms\_21 Q: 5

| Question | Answer       | Marks | Partial Marks                 |
|----------|--------------|-------|-------------------------------|
|          | $(n-2)^2$ oe | 2     | M1 for a quadratic expression |

101. 0607\_s18\_ms\_21 Q: 6

| Question | Answer                           | Marks | Partial Marks   |
|----------|----------------------------------|-------|---|
| (a)      | $2p^2 - 5pq - 7q^2$ final answer | 2     | B1 for three terms of $2p^2 - 7pq + 2pq - 7q^2$ correct |
| (b)      | $(1-a)(2-t)$ oe                  | 2     | M1 for $2-t-a(2-t)$ or $2(1-a)-t(1-a)$                  |

102. 0607\_s18\_ms\_21 Q: 9

| Question | Answer    | Marks | Partial Marks              |
|----------|-----------|-------|----------------------------|
| (a)      | 9         | 1     |                            |
| (b)      | $6h^{15}$ | 2     | B1 for $kh^{15}$ or $6h^k$ |

103. 0607\_s18\_ms\_21 Q: 13

| Question | Answer                       | Marks | Partial Marks                          |
|----------|------------------------------|-------|--|
|          | $\frac{t}{3+t}$ final answer | 3     | B1 for $t(3-t)$<br>B1 for $(3-t)(3+t)$ |

104. 0607\_s18\_ms\_22 Q: 5

| Question | Answer | Marks | Partial Marks                             |
|----------|--------|-------|---|
|          | 4      | 2     | M1 for correctly moving at least one term |

105. 0607\_s18\_ms\_22 Q: 7

| Question | Answer   | Marks | Partial Marks     |
|----------|----------|-------|-------------------|
|          | $x < -2$ | 2     | M1 for $3x < 1-7$ |

106. 0607\_s18\_ms\_22 Q: 11

| Question | Answer       | Marks | Partial Marks                          |
|----------|--------------|-------|--|
| (a)      | -3           | 1     |  |
| (b)      | $17 - 4n$ oe | 2     | B1 for $17 - kn, k \neq 0$ or $k - 4n$ |

107. 0607\_s18\_ms\_22 Q: 15

| Question | Answer                              | Marks | Partial Marks  |
|----------|-------------------------------------|-------|--|
|          | $15x^2 - 34xy + 15y^2$ final answer | 3     | M2 for $15x^2 - 9xy - 25xy + 15y^2$<br>or M1 for 3 correct terms |

108. 0607\_s18\_ms\_22 Q: 17

| Question | Answer                           | Marks | Partial Marks  |
|----------|----------------------------------|-------|--|
|          | $(2x - 3y)(2x + y)$ final answer | 3     | M2 for $(ax + by)(cx + dy)$ where $ac = 4$ and $bd = -3$<br>or M1 for $ac = 4$ or $bd = -3$<br><br>OR<br><br>M2 for $2x(2x - 3y) + y(2x - 3y)$ or<br>$2x(2x + y) - 3y(2x + y)$<br>or M1 for $4x^2 - 6xy + 2xy - 3y^2$ oe |

109. 0607\_s18\_ms\_22 Q: 18

| Question | Answer   | Marks | Partial Marks  |
|----------|--|-------|--|
|          | $\frac{4n}{n^2 - 1}$ or $\frac{4n}{(n-1)(n+1)}$ final answer | 4     | M1 for common denominator $(n-1)(n+1)$ or $n^2 - 1$<br>M2 for $(n^2 + 2n + 1) - (n^2 - 2n + 1)$ or better<br>or M1 for $(n+1)^2$ or $(n-1)^2$ oe |

110. 0607\_s18\_ms\_23 Q: 3

| Question | Answer                  | Marks | Partial Marks                     |
|----------|-------------------------|-------|-----------------------------------|
|          | $16x + 3y$ final answer | 2     | M1 for $10x + 15y$ or $-12y + 6x$ |

111. 0607\_s18\_ms\_23 Q: 10

| Question | Answer         | Marks | Partial Marks                    |
|----------|----------------|-------|----------------------------------|
|          | $x \leq -4$ oe | 2     | M1 for correctly moving one term |

112. 0607\_w18\_ms\_21 Q: 5

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | 4      | 2     | M1 for $6x = 19 + 5$ or $x - \frac{5}{6} = \frac{19}{6}$ |

113. 0607\_w18\_ms\_21 Q: 9

| Question | Answer     | Marks | Partial Marks            |
|----------|------------|-------|--------------------------|
|          | $25x^8y^6$ | 2     | M1 for '2 correct parts' |

114. 0607\_w18\_ms\_21 Q: 10

| Question | Answer          | Marks | Partial Marks                |
|----------|-----------------|-------|------------------------------|
|          | -2, -1, 0, 1, 2 | 2     | M1 for 1 omission or 1 extra |

115. 0607\_w18\_ms\_21 Q: 12

| Question | Answer            | Marks | Partial Marks                               |
|----------|-------------------|-------|---|
|          | 61<br>$2n^2 - 11$ | 3     | B1 for 61<br>M1 for $an^2 + b$ , $a \neq 0$ |

116. 0607\_w18\_ms\_21 Q: 14

| Question | Answer                 | Marks | Partial Marks   |
|----------|------------------------|-------|---|
|          | $[x =] 2$<br>$[y =]-1$ | 4     | M1 for correctly equating one set of coefficients<br>or M1 for equation $x =$ or $y =$ from one equation<br>M1 for correct substitution into other equation<br>A1 for one correct value<br>If 0 scored SC1 for correct substitution into one of original equations and evaluation |

117. 0607\_w18\_ms\_21 Q: 15

| Question | Answer            | Marks | Partial Marks  |
|----------|-------------------|-------|--|
|          | $(4x + 1)(x - 2)$ | 2     | M1 for $(ax \pm b)(cx \pm d)$ where two of $ac = 4$ , $bd = -2$ , $ad + bc = -7$ are correct.<br>or M1 for $4x(x - 2) + x - 2$<br>or $x(4x + 1) - 2(4x + 1)$ |

118. 0607\_w18\_ms\_22 Q: 7

| Question | Answer             | Marks | Partial Marks  |
|----------|--------------------|-------|--|
| (a)      | $(8x + 1)(8x - 1)$ | 1     |  |
| (b)      | $(2y + 3)(y - 2)$  | 2     | B1 for $(2y + a)(y + b)$ where $ab = -6$ or $a + 2b = -1$ or $2y(y - 2) + 3(y - 2)$<br>or $y(2y + 3) - 2(y + 3)$ |

119. 0607\_w18\_ms\_22 Q: 8

| Question | Answer | Marks | Partial Marks |
|----------|--------|-------|---------------|
| (a)      | -4     | 1     |               |
| (b)      | 2.5 oe | 1     |               |

120. 0607\_w18\_ms\_22 Q: 10

| Question | Answer     | Marks | Partial Marks   |
|----------|------------|-------|---|
|          | $x \geq 6$ | 3     | <b>B2</b> for $\leq, <, >, =$<br>or <b>M2</b> for $9 + 3 \leq 6x - 4x$<br>or <b>M1</b> for $4x + 9 \leq 6x - 3$<br>or $\frac{4x}{3} + 3 = 6x - 3$ |

121. 0607\_w18\_ms\_22 Q: 13

| Question | Answer            | Marks | Partial Marks  |
|----------|-------------------|-------|--|
|          | $37 + 20\sqrt{3}$ | 3     | <b>B2</b> for $37 + a\sqrt{3}$ or $b + 20\sqrt{3}$ , $a, b \neq 0$<br>or <b>M1</b> for<br>$5^2 + 10\sqrt{3} + 10\sqrt{3} + 2\sqrt{3} \times 2\sqrt{3}$ |

122. 0607\_w18\_ms\_23 Q: 2

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | 9      | 2     | <b>B1</b> for correct equation in form<br>$ax = b$ or $b = ax$ |

123. 0607\_w18\_ms\_23 Q: 3

| Question | Answer          | Marks | Partial Marks |
|----------|-----------------|-------|---------------|
|          | $-3 < x \leq 2$ | 1     |               |

124. 0607\_w18\_ms\_23 Q: 7

| Question | Answer                  | Marks | Partial Marks  |
|----------|-------------------------|-------|--|
|          | $[t =] -1$<br>$[u =] 2$ | 2     | <b>B1</b> for each<br>If 0 scored, <b>SC1</b> for <i>their</i> answers<br>satisfying one equation. |

125. 0607\_w18\_ms\_23 Q: 8

| Question | Answer        | Marks | Partial Marks                         |
|----------|---------------|-------|---------------------------------------|
| (a)      | $36v^{15}$    | 2     | <b>B1</b> for $36v^k$ or $kv^{15}$    |
| (b)      | $1000x^{150}$ | 2     | <b>B1</b> for $1000x^k$ or $kx^{150}$ |

126. 0607\_w18\_ms\_23 Q: 15

| Question | Answer                                   | Marks | Partial Marks   |
|----------|--|-------|---|
|          | $\frac{9x+26}{(x-1)(2x+3)}$ final answer | 3     | <b>M1</b> for denominator $(x-1)(2x+3)$<br><b>B1</b> for $7(2x+3)-5(x-1)$ oe seen<br>or <b>SC2</b> for final answer<br>$\frac{9x+16}{(x-1)(2x+3)}$ If expanded denominator must be $2x^2+x-3$ |

127. 0607\_s17\_ms\_21 Q: 3

| Question | Answer       | Marks | Part Marks                        |
|----------|--------------|-------|-----------------------------------|
|          | $x^4 - 4x^2$ | 2     | <b>M1</b> for either term correct |

128. 0607\_s17\_ms\_21 Q: 9

| Question | Answer                | Marks | Part Marks  |
|----------|-----------------------|-------|---|
|          | $[x=]1.5$<br>$[y=]-2$ | 3     | <b>M1</b> for correct method to eliminate one variable<br><b>B1</b> for $x=1.5$<br><b>B1</b> for $y=-2$<br>If 0 scored <b>SC1</b> for correct substitution into one of original equations and correct evaluation to find other variable |

129. 0607\_s17\_ms\_21 Q: 12

| Question | Answer                   | Marks | Part Marks   |
|----------|--------------------------|-------|--|
|          | $x = \frac{7}{2}, -1$ oe | 3     | <b>M2</b> for $(2x-7)(x+1)$<br>or <b>M1</b> for $(2x+a)(x+b)$ where $a+2b=-5$ or $ab=-7$<br>or <b>M1</b> for $2x(x+1)-7(x+1)$ or $x(2x-7)+1(2x-7)$ |

130. 0607\_s17\_ms\_21 Q: 15

| Question | Answer                             | Marks | Part Marks  |
|----------|------------------------------------|-------|---|
|          | $8x^2 - 26xy + 15y^2$ final answer | 3     | M2 for $8x^2 - 6xy - 20xy + 15y^2$<br>or M1 for 3 terms correct |

131. 0607\_s17\_ms\_22 Q: 3

| Question | Answer                    | Marks | Partial Marks                       |
|----------|---------------------------|-------|-------------------------------------|
|          | $2x(3x - 1)$ final answer | 2     | B1 for $2(3x^2 - x)$ or $x(6x - 2)$ |

132. 0607\_s17\_ms\_22 Q: 5

| Question | Answer                | Marks | Partial Marks               |
|----------|-----------------------|-------|-----------------------------|
|          | $5x + 2$ final answer | 2     | B1 for $ax + 2$ or $5x + b$ |

133. 0607\_s17\_ms\_22 Q: 7

| Question | Answer                            | Marks | Partial Marks  |
|----------|-----------------------------------|-------|--|
| (a)      | $x \leq 4$ or $4 \geq x$          | 2     | M1 for $2 + 6 \geq 5x - 3x$ oe<br>If 0 scored, SC1 for $x = 4, x < 4, x > 4, x \geq 4$ |
| (b)      | Correct FT from(a) on number line | 1     | FT dep on inequality as answer to (a)  |

134. 0607\_s17\_ms\_22 Q: 10

| Question | Answer                             | Marks | Partial Marks  |
|----------|------------------------------------|-------|--|
|          | $6x^2 - 17xy + 12y^2$ final answer | 3     | B2 for $6x^2 - 8xy - 9xy + 12y^2$<br>or B1 for 3 terms correct |

135. 0607\_s17\_ms\_23 Q: 4

| Question | Answer        | Marks | Part Marks                              |
|----------|---------------|-------|---|
| (a)      | -1            | 1     |   |
| (b)      | $-4n + 19$ oe | 2     | B1 for $-4n + k$ or $pn + 19, p \neq 0$ |

136. 0607\_s17\_ms\_23 Q: 5

| Question | Answer                    | Marks | Part Marks                                     |
|----------|---------------------------|-------|--|
|          | $x^5 + 3x^3$ final answer | 2     | B1 for $x^5 + kx^n$ or $kx^n + 3x^3, k \neq 0$ |

137. 0607\_s17\_ms\_23 Q: 8

| Question | Answer     | Marks | Part Marks                  |
|----------|------------|-------|-----------------------------|
| (a)      | $4y^6$     | 2     | B1 for $ky^6$ or $4y^k$     |
| (b)      | $32w^{10}$ | 2     | B1 for $kw^{10}$ or $32w^k$ |

138. 0607\_s17\_ms\_23 Q: 10

| Question | Answer | Marks | Part Marks  |
|----------|--------|-------|---|
|          | 0.5 oe | 2     | M1 for $x + 1 = 2 - x$ or for correctly eliminating $x$ |


139. 0607\_s17\_ms\_23 Q: 14

| Question | Answer       | Marks | Part Marks   |
|----------|--------------|-------|--|
| (a)      | $(p-6)(p+5)$ | 2     | B1 for $(p+a)(p+b)$ where $ab = -30$<br>or $a + b = -1$<br>or $p(p+5) - 6(p+5)$ or $p(p-6) + 5(p-6)$ |
| (b)      | $(u-v)(x+y)$ | 2     | M1 for $x(u-v) + y(u-v)$ or<br>$u(x+y) - v(x+y)$   |

140. 0607\_s17\_ms\_23 Q: 15

| Question | Answer               | Marks | Part Marks  |
|----------|----------------------|-------|---|
|          | $\frac{16}{1000}$ oe | 3     | M1 for $y = \frac{k}{x^3}$ oe<br>M1 for substituting $x = 2$ and $y = 2$ in <i>their</i> equation to find $k$ |

141. 0607\_w17\_ms\_21 Q: 3

| Question | Answer  | Marks | Partial Marks                     |
|----------|---|-------|-----------------------------------|
|          |  | 2     | B1 for correct interval indicated |

142. 0607\_w17\_ms\_21 Q: 5

| Question | Answer               | Marks | Partial Marks  |
|----------|----------------------|-------|--|
|          | $x = -5$<br>$y = -3$ | 3     | M1 for correctly eliminating one variable<br>B1 for each answer<br><br>If zero scored SC1 for correct substitution and evaluation to find the other variable |

143. 0607\_w17\_ms\_21 Q: 11

| Question | Answer          | Marks | Partial Marks   |
|----------|-----------------|-------|---|
| (a)      | $(x-5)(x+2)$    | 2     | <b>B1</b> for $(x+a)(x+b)$ where $ab = -10$<br>or $a+b = -3$<br>or for $x(x-5) + 2(x-5)$ or $x(x+2) - 5(x+2)$ |
| (b)      | $x < -2, x > 5$ | 2     | <b>B1FT</b> for correct 'inequalities' from (a)   |

144. 0607\_w17\_ms\_21 Q: 13

| Question | Answer                                | Marks | Partial Marks   |
|----------|---------------------------------------|-------|---|
|          | $6a^2 - 19ab + 15b^2$<br>final answer | 3     | <b>B2</b> for $6a^2 - 9ab - 10ab + 15b^2$<br>or <b>B1</b> for 3 correct terms above |

145. 0607\_w17\_ms\_22 Q: 11

| Question | Answer | Marks | Partial Marks                            |
|----------|--------|-------|--|
| (a)      | $3x^8$ | 2     | <b>B1</b> for $3x^k$ or $kx^8, k \neq 0$ |
| (b)      | $2x^4$ | 2     | <b>B1</b> for $2x^k$ or $kx^4, k \neq 0$ |

146. 0607\_w17\_ms\_22 Q: 14

| Question | Answer                       | Marks | Partial Marks  |
|----------|------------------------------|-------|--|
|          | $\frac{x}{x+1}$ final answer | 3     | <b>B1</b> for $x(x-1)$<br><b>B1</b> for $(x-1)(x+1)$ |

147. 0607\_w17\_ms\_23 Q: 8

| Question | Answer | Marks | Partial Marks   |
|----------|--------|-------|---|
|          | 3      | 3     | <b>M2</b> for $\frac{90}{45-15}$<br>or <b>M1</b> for correct first step |

148. 0607\_w17\_ms\_23 Q: 10

| Question | Answer | Marks | Partial Marks  |
|----------|--------|-------|--|
|          | 8, -3  | 3     | <b>M2</b> for $(x-8)(x+3)$ oe<br>or <b>M1</b> for $(x+a)(x+b)$ where $ab = -24$ or<br>$a+b = -5$ |

149. 0607\_w17\_ms\_23 Q: 15

| Question | Answer                          | Marks | Partial Marks  |
|----------|---------------------------------|-------|--|
|          | $5(x-5y)(x+5y)$<br>final answer | 3     | <b>M2</b> for $(5x-25y)(x+5y)$ or $(5x+25y)(x-5y)$<br>or <b>M1</b> for one correct factor identified |